AGRICULTURAL RESOURCE MANAGEMENT SURVEY

OMB No. 0535-0218 Approval Expires: 12/31/2012 Project Code: 906 SMetaKey: 2084 Phase II





National Agricultural Statistics Service U.S Department of Agriculture NOC Division 9700 Page Avenue, Suite 400 St. Louis, MO 63132-1547 Phone: 1-800-727-9540

Phone: 1-800-727-9540 Fax: 314-595-9990 E-mail: nass@nass.usda.gov

WINTER WHEAT PRODUCTION PRACTICES REPORT FOR 2012

							7
VERSION			ID	TRACT	SUBTRACT	C-TYPE	
71 ——————				01		125	
			CONTAC	T.DE00DD			
DATE	TIME	1	CONTAC	T RECORD	TES		
DATE	I IIVIC			NO	IES		
<u> </u>							
INTRODUCTIO		a anarat	or Ponhrono in vour ow	n wordo l			
			or. Rephrase in your owi	-	-l	-1 41 1	
nossible Authori	ty for collection o	of informa	and costs to produce wir ation on the Winter Whea	at Production Practi	ices Report is Tit	le 7 Section	2204 of the U.S.
Code. This inform	nation will be use	ed for eco	onomic analysis and to c A (Public Law 107-347),	ompile and publish	estimates for yo	our region and	I the United States.
statistical purpose	es. Response is	voluntai	4 (Public Law 107-347), 1 ry .	racts about your of	peration are kept	confidential	and used only for
We encourage yo	ou to refer to your	r farm red	cords during the interviev	v.			
	ннм	М					SCREENING BOX
BEGINNING TI	ME 0004						0006
[MILITARY]				_			
	ess and partne	rs verifie	ed and updated if nece	T			
POID	- — — — —			POID			
PARTNER NAME				PARTNER NAME			
ADDRESS				ADDRESS			
CITY	STATE	ZIP	PHONE NUMBER	CITY	STATE	ZID	PHONE NUMBER
CITT	STATE	ZIF	FIIONE NOMBER	CITT	STATE	ZIF	FHONE NOWBER
POID				POID			
PARTNER NAME				PARTNER NAME			
ADDRESS				ADDRESS			
CITY	STATE	ZIP	PHONE NUMBER	CITY	STATE	ZIP	PHONE NUMBER

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number. The valid OMB number is 0535-0218. The time required to complete this information collection is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

Α

WINTER WHEAT FIELD SELECTION

Α

TOTAL PLANTED ACRES

		0050
1.	How many acres of winter wheat did this operation plant for the 2012 crop year?	•
	If no acres planted, review Screening Survey Information Form, make notes.	

2. I will follow a simple procedure to make a random selection from the winter wheat fields planted for the 2012 crop.

TOTAL NUMBER OF FIELDS PLANTED

 0020

3. Please list these fields according to identifying name/number or describe each field. Then I will tell you which field has been selected.

[If there are more than 18 fields, make sure item 2 is **TOTAL** fields planted and list only the 18 fields closest to the operator's permanent residence. If respondent is unable to identify or describe the fields, use the Field Selection Grid Supplement.]

FIELD NAME, NUMBER OR DESCRIPTION

then go to item 4 on back page.]

FIELD NAME, NUMBER OR DESCRIPTION

1	_10
2	_11
3	12
4	13
5	14
6	15
7	16
8	17
9	18

	APPLY "RANDOM NUMBER" LABEL HERE	
4.	[ENUMERATOR ACTION: Circle the pair of numbers on the above label associated with the last numbered field in item 3. Select the field according to the number you circled on the label, and record the selected number. If only one field, enter 1.]	SELECTED FIELD NUMBER 0021
5.	The field selected is (field name/number/description).	
	During this interview, the winter wheat questions will be about this selected winter wheat field. [Be sure the operator can identify the selected field.]	
6.	How many acres of winter wheat did this operation plant in this field for the 2012 crop?	1301

OFFICE USE OY Field Substituted

0022

NUTRIENT or FERTILIZER APPLICATIONS---SELECTED FIELD

				CODE	EDIT TABLE
1.	Were commercial nutrients of 2012 winter wheat crop?	0202	0200		
	[If COMMERCIAL nutrient or fe	ərtili.	zer applied, continue; else go to Section D.]		NUMBER
2.			or fertilizer applications were made to this field lications made by airplanes and custom applicators		0203
3.	Now I need to record information	atio	n for each application.		
I I	CHEC				
! ✓	INCLUDE	✓	EXCLUDE		
	Custom applied nutrients or fertilizers		Micronutrients		
¦_	Nutrients or fertilizers		Unprocessed manure		
! !	applied in the fall of 2011 and those applied earlier if this field was fallow in 2011		Nutrients or fertilizers applied to previous crops in this field		
 	Commercially prepared manure or compost		Lime and gypsum/landplaster OFFICE USE LINES IN TABLE	TABLE 001	0299

APPLICATION CODES for COLUMN 6

5 In irrigation water

6 Chisel/Injected or knifed in

7 Banded in or over row

8 Foliar or directed spray

1 Broadcast, ground without incorporation

2 Broadcast, ground with incorporation

3 Broadcast, by aircraft

4 In seed furrow

			2		3	4	5	6	7
I N E	MATERIALS USED I [Enter percentage analysis or actual pounds of plant putrionts applied percentage.]		What quantity was applied per acre? [Leave this column blank if actual nutrients were reported.]	[Enter material code.] 1 Pounds 12 Gallons 19 Pounds of actual	When was this applied? 1 In the fall before seeding 2 In the spring before seeding 3 At seeding	How was this applied? [Refer to code list above.]	How many acres were treated in this application?		
	N Nitrogen	P2O5 Phosphate	K2O Potash	S Sulfur		nutrients	4 After seeding		ACRES
01	31	32	33	34	36	37	38	39	40
02	31	32	33	34	36	37	38	39	40
03	31	32	33	34	36	37	38	39	40
04	31	32	33	34	36	37	38	39	40
05	31	32	33	34	36	37	38	39	40
06	31	32	33	34	36	37	38	39	40
07	31	32	33	34	36	37	38	39	40
08	31	32	33	34	36	37	38	39	40

-5-

Notes:

D

Now I have some questions about all the biocontrols or pesticides used on this field for the 2012 winter wheat crop, including both custom applications and applications made by this operation.

	When and add to be a selected for the selected and the se		CODE	EDIT TABLE
1.	Were any herbicides, insecticides, fungicides or other biocontrols or pesticides used on this winter wheat field for the 2012 crop?		0302	0300
	YI	'ES = 1		

[Probe for applications made in the fall of 2011 (and those made earlier if this field was fallow).]

lf I	no	biocontr	ols or	pesticides	applied	l, go 1	to S	Section	Ε.
------	----	----------	--------	------------	---------	---------	------	---------	----

Include defoliants, fungicides, herbicides, insecticides, and other pesticides.	Exclude nutrients or fertilizers reported earlier and seed treatments.			
Include biological and botanical pesticides.	 	OFFICE USE LINES IN TABLE	TABLE 001	0399

		2	3	4	5	6 O	R 7	8
CHEMICAL PRODUCT NAME	L I N E	What products were applied to this field? [Show product codes from Respondent Booklet.]	Was this product bought in liquid or dry form? [Enter L or D]	Was this part of a tank mix? [If tank mix, enter line number of first product in mix.]	When was this applied? 1 BEFORE planting 3 AT planting 4 AFTER Planting	How much was applied per acre per application?	What was the total amount applied per application in this field?	[Enter unit code.] 1 Pounds 12 Gallons 13 Quarts 14 Pints 15 Liquid Ounces 28 Dry Ounces 30 Grams
	01	61		63	64	65	73	74
	02	61		63	64	65	73	74
	03	61		63	64	65	73	74
	04	61		63	64	65	73	74
	05	61		63	64	65	73	74
	06	61		63	64	65	73	74
	07	61		63	64	65	73	74
	08	61		63	64	65	73	74
	09	61		63	64	65	73	74
	10	61		63	64	65	73	74
	11	61		63	64	65	73	74
	12	61		63	64	65	73	74
	13	61		63	64	65	73	74
	14	61		63	64	65	73	74

2. [<i>F</i>	2. [For biocontrols or pesticides not listed in Respondent Booklet, specify]								
LII	NE	Pesticide Type (Herbicide, Insecticide Fungicide, etc.)	EPA No. or Trade name and Formulation	Form Purchased (Liquid or Dry)	Where Purchased [Ask ONLY if EPA No. cannot be reported.]				

APPLICATIONS CODES for column 9

- 1 Broadcast, ground without incorporation
- 2 Broadcast, ground with incorporation
- 3 Broadcast, by aircraft
- 4 In seed furrow
- 5 In irrigation water

- 6 Chisel/Injected or knifed in
- 7 Banded in or over row
- 8 Foliar or directed spray
- 9 Spot treatments

	9	10	11	12
L I N E	How was this product applied? [Enter code from above.]	How many acres in this field were treated with this product?	How many times was it applied? NUMBER	Were these applications made by 1 Operator, partner or family member? 2 Custom applicator? 3 Employee/Other?
01	76		79	80
02	76		79	80
03	76	77	79	80
04	76	77	79	80
05	76	77	79	80
06	76	77	79	80
07	76	77	79	80
08	76	77	79	80
09	76	77	79	80
10	76	77	79	80
11	76	77	79	80
12	76	77	79	80
13	76	77	79	80
14	76		79	80

Now I have some questions about your pest management decisions and practices used on this field for the 2012 winter wheat crop. By pests, we mean WEEDS, INSECTS, and DISEASES.

ΕN	UMERATOR ACTION: Were PESTICIDE appli	cations reported in Section D?]		
	☐ YES – [Continue]	NO − [Go to item 4]		
				CODE
1.	Was weather data used to assist in determine	ning either the need or when		0800
			'ES = 1	
2.	Were any biological pesticides such as Bt (<u> </u>
	regulators, neem or other natural/biological			0801
	to manage pests in this field?	Y	'ES = 1	
2	Were pesticides with different mechanisms	of action rotated or tank mixed		0802
٥.		on action rotated of tank mixed om becoming resistant to pesticides? Y	'ES = 1	0002
	The true frames, has been as see bring frame as	9		
		1 By deliberately going to the field specifically for scouting		
4.	In 2012, how was this field	activities [Enter code 1 and go to item 5.]		CODE
	primarily scouted for insects, weeds, diseases, and/or beneficial	By conducting general observations while performing routine tasks [Enter code 2 and go to item 7.]		0808
	organisms?	-		
		[Enter code 3 and go to item 11.]		
5.	Was an established scouting process (syste	omatic sampling recording counts, etc.) used		0809
J.		Y	'ES = 1	0000
6	Was scouting for pests done in this field du	e to		
0.	Trac cocating for poots done in this field du	0.10		0810
	a a pest advisory warning?	Y	/FS = 1	0010
	a. a poor authory manning		_0 _ 1	0811
	b. a pest development model?	Y	'ES = 1	0011
		•		

	1		2 [If YES, ask] What was the infestation level for [column 1]?	3 [If column 1 is YES, ask] Who did the majority of the scouting for [column 1]?
7. V	Vas this winter wheat field scouted for		Worse than normal Normal Less than normal	Operator, partner or family member An employee Farm supply or chemical dealer Independent crop consultant or commercial scout
		YES = 1	CODE	CODE
а	. weeds?	0812	0813	0814
b	. insects or mites?	0815	0816	0817
С	diseases?	0818	0819	0820

		CODE
8.	Were written or electronic records kept for this field to track the activity or numbers of weeds, insects or diseases?	0823
9.	Were scouting data compared to published information on infestation thresholds to determine when to take measures to manage pests in this field?YES = 1	0824
10.	Did you use field mapping of previous weed problems to assist you in making weed management decisions?YES = 1	0825

CODE

11.	Did you do any of the following other types of pest man	agement for the specific purpose of
	managing or reducing the spread of pests in this field?	[Enter code "1" for all that apply.]

0841 Use the services of a diagnostic laboratory for pest identification or soil plant tissue pest analysis for this field?..... **YES = 1** 0842 Plow down crop residue (using conventional tillage)?..... **YES = 1** 0843 Remove / burn down crop residue?..... C. **YES = 1** 0844 Rotate crops in this field during the past three years?..... d. **YES = 1** 0845 Maintain ground covers, mulches, or other physical barriers?..... **YES = 1** 0846 Choose crop variety because of specific resistance to a certain pest?..... **YES = 1** 0847 Use no-till or minimum till?..... 0848 Plan planting locations to avoid cross infestation of pests?.... 0849 Adjust planting or harvesting dates?..... YES = 1 i. 0850 Chop, spray, mow, plow, or burn field edges, lanes, ditches, roadways, or fence lines?..... 0851 Clean equipment and field implements after completing field work to reduce the spread of pests?.... 0852 Adjust row spacing, plant density or row directions?..... I. **YES = 1** 0854 m. Have the seed treated for insect or disease control after you purchased the seed for this field?..... YES = 10855 Maintain a beneficial insect or vertebrate habitat?.... **YES = 1** 0856 Maintain buffer strips or border rows to isolate winter wheat from non-organic crops or land, or did you take a buffer harvest?..... 0857 Use a flamer to kill weeds?..... **YES = 1** CODE 12. Were any beneficial organisms (insects, nematodes, fungi) applied 0853 or released in this field to manage pests?..... 0858 13. Were floral lures, attractants, repellants, pheromone traps or other biological pest controls used on this field?.....

			CODE
14.	Was a trap crop (excluding fallow) grown to help manage insects in this field?	YES = 1	0863
15.	Was this field left fallow in 2011 to help manage insects on this field?	YES = 1	0864
4.0	Warrantan wan an and an action and a smith time also delice a contralled		
	Were water management practices such as irrigation scheduling, controlled drainage, or treatment of retention water used on this field to manage for pests or toxic producing fungi and bacteria?	VES _ 1	0861
	or toxic producing rangi and bacteria	120 - 1	

Completion Code for Pest Management Data

500

1 - Incomplete/Refusal

CONCLUSION

1.	To receive the complete results of this survey on the release date, go to www.nass.usda.gov/results/. Would you rather have a brief summary mailed to you at a later date?	CODE 0099
		нн мм
2	ENDING TIME [<i>MILITARY</i>]	0005
<u> </u>		
RE	CORDS USE	
3.	[Did respondent use farm/ranch records to report]	CODE
		0011
	a. [fertilizer data?]	
	b. [pesticide data?]	0012
		NUMBER
SU	PPLEMENTS USED FERTILIZER APPLICATIONS	0041
4.	[Record the total number of each type of supplement used to complete this interview.]	0042

	9910	9911
Reported by:		Telephone: ()

1 - Comp 9901 1 - Op/Mgr 9902 2 - Tel 9903 0098 0100 0921 0785 0002 0003 9906 2 - R 2 - Sp 3 - Face-to-Face		Office Use					
2- R 2 - Sp 3 - Face-to-Face	Mode Enum Eval R. Unit Change Optional Use	Mode	Respondent	Response			
3 - Inac 3 - Acct/Bkpr 4 - Office 4 - Partner			2 – Sp 3 – Acct/Bkpr 4 – Partner	2- R 3 – Inac 4 – Office			