



Crop Progress

ISSN: 1948-3007

Released October 15, 2024, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, United States Department of Agriculture (USDA).

Corn Mature – Selected States

[These 18 States planted 92% of the 2023 corn acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
Colorado	(percent)	(percent)	(percent)	(percent)
Colorado	79	67	85	86
Illinois	97	94	97	89
Indiana	89	91	96	87
Iowa	97	90	97	91
Kansas	99	97	98	97
Kentucky	94	95	98	97
Michigan	68	85	96	74
Minnesota	97	82	94	91
Missouri	97	97	99	96
Nebraska	97	88	94	93
North Carolina	100	99	100	100
North Dakota	94	65	88	83
Ohio	79	84	92	77
Pennsylvania	67	51	60	80
South Dakota	96	78	90	86
Tennessee	98	98	99	99
Texas	98	100	100	97
Wisconsin	83	70	85	81
18 States	93	87	94	89

Corn Harvested – Selected States

[These 18 States harvested 93% of the 2023 corn acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
Colorado	(percent)	(percent)	(percent)	(percent)
Colorado	30	20	30	33
Illinois	49	32	49	44
Indiana	27	29	44	33
Iowa	39	22	45	32
Kansas	70	67	77	64
Kentucky	66	66	76	73
Michigan	16	18	31	18
Minnesota	41	15	43	32
Missouri	62	62	73	58
Nebraska	41	27	45	35
North Carolina	93	80	88	92
North Dakota	23	8	19	22
Ohio	15	22	34	18
Pennsylvania	15	6	20	22
South Dakota	34	15	33	33
Tennessee	80	80	88	81
Texas	85	95	98	84
Wisconsin	13	10	26	14
18 States	42	30	47	39

Corn Condition – Selected States: Week Ending October 13, 2024

[These 18 States planted 92% of the 2023 corn acreage]

State	Very poor (percent)	Poor (percent)	Fair (percent)	Good (percent)	Excellent (percent)
Colorado	17	20	32	28	3
Illinois	1	5	18	55	21
Indiana	3	6	29	50	12
Iowa	1	4	19	56	20
Kansas	8	13	37	34	8
Kentucky	4	8	21	54	13
Michigan	4	2	32	40	22
Minnesota	3	8	28	49	12
Missouri	2	3	11	61	23
Nebraska	4	8	21	48	19
North Carolina	52	25	11	12	-
North Dakota	2	7	25	58	8
Ohio	7	12	41	37	3
Pennsylvania	12	11	20	45	12
South Dakota	2	7	22	57	12
Tennessee	10	14	30	32	14
Texas	9	22	28	33	8
Wisconsin	3	8	28	46	15
18 States	4	8	24	49	15
Previous week	5	8	23	49	15
Previous year	6	12	29	43	10

- Represents zero.

Soybeans Dropping Leaves – Selected States

[These 18 States planted 96% of the 2023 soybean acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
Arkansas	(percent)	(percent)	(percent)	(percent)
Illinois	95	87	93	90
Indiana	98	90	93	91
Iowa	94	92	96	93
Kansas	97	93	98	94
Kentucky	93	85	93	88
Louisiana	73	74	84	77
Michigan	100	97	99	98
Minnesota	90	97	100	93
Mississippi	98	91	98	97
Missouri	98	95	98	94
Missouri	94	84	91	84
Nebraska	99	96	98	97
North Carolina	84	61	73	81
North Dakota	97	95	99	98
Ohio	94	93	97	91
South Dakota	99	94	98	97
Tennessee	89	83	91	87
Wisconsin	92	90	97	92
18 States	96	90	95	92

Soybeans Harvested – Selected States

[These 18 States harvested 96% of the 2023 soybean acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
	(percent)	(percent)	(percent)	(percent)
Arkansas	69	59	72	53
Illinois	56	42	62	47
Indiana	47	36	57	45
Iowa	68	58	81	59
Kansas	52	30	53	37
Kentucky	36	33	42	38
Louisiana	94	77	82	88
Michigan	28	40	66	35
Minnesota	71	68	88	68
Mississippi	86	76	84	73
Missouri	41	23	41	28
Nebraska	65	46	70	62
North Carolina	16	13	20	20
North Dakota	59	52	76	61
Ohio	42	35	62	43
South Dakota	65	51	77	62
Tennessee	43	51	62	39
Wisconsin	46	61	83	43
18 States	57	47	67	51

Cotton Bolls Opening – Selected States

[These 15 States planted 99% of the 2023 cotton acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
	(percent)	(percent)	(percent)	(percent)
Alabama	90	91	95	89
Arizona	96	97	98	99
Arkansas	100	98	100	100
California	71	65	75	85
Georgia	88	84	90	89
Kansas	95	84	90	86
Louisiana	100	95	98	100
Mississippi	98	96	98	95
Missouri	94	93	98	95
North Carolina	94	78	90	93
Oklahoma	88	86	96	89
South Carolina	86	96	99	90
Tennessee	89	91	95	88
Texas	80	77	83	82
Virginia	94	94	96	95
15 States	86	82	88	86

Cotton Harvested – Selected States

[These 15 States harvested 98% of the 2023 cotton acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
	(percent)	(percent)	(percent)	(percent)
Alabama	25	20	31	23
Arizona	21	68	69	25
Arkansas	48	34	52	41
California	9	3	10	18
Georgia	11	12	19	20
Kansas	15	10	23	8
Louisiana	88	61	67	70
Mississippi	56	43	61	45
Missouri	39	20	38	25
North Carolina	11	3	6	17
Oklahoma	11	9	15	10
South Carolina	10	8	19	16
Tennessee	22	19	35	22
Texas	36	33	38	34
Virginia	20	20	32	23
15 States	31	26	34	30

Cotton Condition – Selected States: Week Ending October 13, 2024

[These 15 States planted 99% of the 2023 cotton acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Alabama	5	14	41	39	1
Arizona	-	1	-	50	49
Arkansas	-	4	23	53	20
California	-	-	-	80	20
Georgia	6	25	36	27	6
Kansas	6	15	33	40	6
Louisiana	-	3	19	76	2
Mississippi	3	9	45	37	6
Missouri	3	6	25	66	-
North Carolina	2	7	15	67	9
Oklahoma	15	8	60	16	1
South Carolina	2	10	37	49	2
Tennessee	13	15	31	33	8
Texas	15	30	32	20	3
Virginia	1	10	31	52	6
15 States	11	23	32	29	5
Previous week	14	21	36	26	3
Previous year	23	20	27	25	5

- Represents zero.

Sorghum Mature – Selected States

[These 6 States planted 100% of the 2023 sorghum acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
	(percent)	(percent)	(percent)	(percent)
Colorado	89	53	70	84
Kansas	83	76	87	82
Nebraska	91	79	94	88
Oklahoma	79	60	76	83
South Dakota	99	91	95	90
Texas	99	99	100	98
6 States	89	80	89	87

Sorghum Harvested – Selected States

[These 6 States harvested 100% of the 2023 sorghum acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
	(percent)	(percent)	(percent)	(percent)
Colorado	21	10	20	32
Kansas	36	26	39	32
Nebraska	30	16	38	30
Oklahoma	39	38	43	37
South Dakota	46	33	53	48
Texas	91	93	95	91
6 States	50	43	53	50

Sorghum Condition – Selected States: Week Ending October 13, 2024

[These 6 States planted 100% of the 2023 sorghum acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Colorado	21	15	29	31	4
Kansas	10	15	35	36	4
Nebraska	1	5	15	50	29
Oklahoma	5	11	29	48	7
South Dakota	2	20	20	57	1
Texas	6	16	31	35	12
6 States	9	15	32	37	7
Previous week	9	15	31	37	8
Previous year	11	16	31	33	9

Peanuts Harvested – Selected States

[These 8 States harvested 96% of the 2023 peanut acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
	(percent)	(percent)	(percent)	(percent)
Alabama	57	30	40	49
Florida	63	40	51	62
Georgia	34	15	27	42
North Carolina	27	8	16	35
Oklahoma	15	-	18	17
South Carolina	28	22	33	37
Texas	17	13	19	18
Virginia	54	32	54	54
8 States	38	19	30	41

- Represents zero.

Peanut Condition – Selected States: Week Ending October 13, 2024

[These 8 States planted 96% of the 2023 peanut acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Alabama	2	8	41	48	1
Florida	-	11	63	26	-
Georgia	3	11	34	44	8
North Carolina	3	5	20	57	15
Oklahoma	5	7	22	64	2
South Carolina	2	7	30	55	6
Texas	1	6	38	45	10
Virginia	-	-	4	74	22
8 States	2	9	36	46	7
Previous week	2	10	38	46	4
Previous year	3	11	35	46	5

- Represents zero.

Sugarbeets Harvested – Selected States

[These 4 States harvested 86% of the 2023 sugarbeet acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
	(percent)	(percent)	(percent)	(percent)
Idaho	27	29	32	38
Michigan	19	22	27	31
Minnesota	50	21	50	51
North Dakota	52	21	45	52
4 States	42	23	42	46

Sunflowers Harvested – Selected States

[These 4 States harvested 87% of the 2023 sunflower acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
	(percent)	(percent)	(percent)	(percent)
Colorado	29	11	30	31
Kansas	52	32	40	30
North Dakota	6	3	10	15
South Dakota	8	3	15	14
4 States	10	4	14	16

Rice Harvested – Selected States

[These 6 States harvested 100% of the 2023 rice acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
	(percent)	(percent)	(percent)	(percent)
Arkansas	93	92	95	89
California	41	45	60	61
Louisiana	100	100	100	99
Mississippi	100	96	98	90
Missouri	87	82	92	82
Texas	96	98	99	99
6 States	86	86	91	86

Winter Wheat Planted – Selected States

[These 18 States planted 89% of the 2023 winter wheat acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
	(percent)	(percent)	(percent)	(percent)
Arkansas	24	18	26	23
California	9	10	15	14
Colorado	93	82	91	92
Idaho	80	65	77	81
Illinois	42	18	33	39
Indiana	36	22	40	41
Kansas	66	52	68	66
Michigan	39	44	65	54
Missouri	27	10	22	26
Montana	75	64	68	72
Nebraska	95	87	96	92
North Carolina	8	4	9	9
Ohio	46	32	58	58
Oklahoma	60	32	43	60
Oregon	50	45	64	58
South Dakota	88	70	85	89
Texas	60	51	61	60
Washington	84	81	93	84
18 States	65	51	64	66

Winter Wheat Emerged – Selected States

[These 18 States planted 89% of the 2023 winter wheat acreage]

State	Week ending			2019-2023 Average
	October 13, 2023	October 6, 2024	October 13, 2024	
Arkansas	8	2	8	8
California	-	-	2	1
Colorado	56	42	50	57
Idaho	31	14	39	39
Illinois	12	6	9	13
Indiana	8	6	12	11
Kansas	35	21	36	38
Michigan	23	15	31	28
Missouri	5	2	4	8
Montana	50	50	58	44
Nebraska	79	37	69	68
North Carolina	4	1	4	2
Ohio	10	8	18	19
Oklahoma	29	14	20	35
Oregon	17	18	28	20
South Dakota	53	31	48	54
Texas	33	26	34	35
Washington	58	51	63	54
18 States	36	25	35	38

- Represents zero.

Pasture and Range Condition – Selected States: Week Ending October 13, 2024

[National pasture and range conditions for selected States are weighted based on pasture acreage and/or livestock inventories]

State	Very poor (percent)	Poor (percent)	Fair (percent)	Good (percent)	Excellent (percent)
Alabama	6	16	37	40	1
Arizona	33	28	22	13	4
Arkansas	16	30	35	17	2
California	15	20	35	30	-
Colorado	15	22	33	28	2
Connecticut	-	-	100	-	-
Delaware	13	40	31	13	3
Florida	1	5	20	44	30
Georgia	15	25	37	22	1
Idaho	7	37	28	27	1
Illinois	5	24	38	31	2
Indiana	8	23	38	29	2
Iowa	7	26	37	28	2
Kansas	13	30	38	18	1
Kentucky	8	19	32	39	2
Louisiana	-	10	42	47	1
Maine	-	-	31	68	1
Maryland	2	8	41	43	6
Massachusetts	-	-	50	50	-
Michigan	11	19	42	26	2
Minnesota	10	18	35	34	3
Mississippi	9	20	39	26	6
Missouri	4	29	38	29	-
Montana	34	26	34	6	-
Nebraska	23	21	29	25	2
Nevada	30	10	20	25	15
New Hampshire	-	-	-	100	-
New Jersey	16	23	22	34	5
New Mexico	13	37	30	9	11
New York	3	9	36	43	9
North Carolina	-	9	23	65	3
North Dakota	13	23	29	34	1
Ohio	31	37	27	5	-
Oklahoma	16	29	32	22	1
Oregon	31	28	21	17	3
Pennsylvania	-	6	26	58	10
Rhode Island	-	-	48	52	-
South Carolina	6	19	47	25	3
South Dakota	20	33	23	23	1
Tennessee	12	29	39	19	1
Texas	27	35	25	12	1
Utah	3	7	29	59	2
Vermont	-	-	100	-	-
Virginia	3	16	36	39	6
Washington	40	39	11	10	-
West Virginia	46	47	7	-	-
Wisconsin	9	19	40	29	3
Wyoming	20	23	35	22	-
48 States	21	28	29	19	3
Previous week	20	26	29	20	5
Previous year	16	21	30	28	5

- Represents zero.

Days Suitable for Fieldwork - Selected States

[Days suitable for fieldwork are weighted based on cropland acreage]

State	Week ending		
	October 13, 2023	October 6, 2024	October 13, 2024
	(Days)	(Days)	(Days)
Alabama	5.1	6.0	6.6
Arizona	7.0	7.0	7.0
Arkansas	6.3	6.5	7.0
California	7.0	7.0	7.0
Colorado	6.7	6.6	6.7
Connecticut	4.4	7.0	6.0
Delaware	5.0	6.0	7.0
Florida	6.5	5.7	5.2
Georgia	4.7	5.1	6.5
Idaho	5.0	7.0	7.0
Illinois	5.0	6.0	6.9
Indiana	5.1	5.5	6.7
Iowa	4.2	6.7	6.8
Kansas	6.6	6.8	6.9
Kentucky	6.2	5.0	6.7
Louisiana	6.2	6.9	7.0
Maine	4.5	6.0	5.0
Maryland	6.0	3.0	7.0
Massachusetts	7.0	7.0	6.0
Michigan	3.4	6.3	6.3
Minnesota	4.6	6.7	6.7
Mississippi	6.4	6.8	6.9
Missouri	6.1	6.5	6.9
Montana	6.6	6.5	7.0
Nebraska	5.0	6.9	6.9
Nevada	7.0	7.0	7.0
New Hampshire	6.0	7.0	6.0
New Jersey	6.5	7.0	7.0
New Mexico	6.8	7.0	6.9
New York	3.5	6.0	4.5
North Carolina	5.8	4.7	6.8
North Dakota	5.9	6.4	6.6
Ohio	5.1	4.7	6.2
Oklahoma	6.6	6.8	6.8
Oregon	6.1	6.7	7.0
Pennsylvania	5.5	4.0	6.0
Rhode Island	5.0	7.0	6.0
South Carolina	5.4	5.7	6.4
South Dakota	4.3	6.6	6.8
Tennessee	6.6	4.8	6.9
Texas	6.5	5.9	6.0
Utah	5.6	6.3	6.4
Vermont	4.5	6.0	5.0
Virginia	5.9	4.6	6.8
Washington	6.6	6.9	7.0
West Virginia	4.5	3.8	5.8
Wisconsin	4.2	6.8	6.4
Wyoming	5.8	7.0	7.0

Topsoil Moisture Condition - Selected States: Week Ending October 13, 2024

[National topsoil moisture conditions for selected States are weighted based on cropland acreage]

State	Very short (percent)	Short (percent)	Adequate (percent)	Surplus (percent)
Alabama	12	31	53	4
Arizona	6	12	81	1
Arkansas	29	34	33	4
California	15	10	75	-
Colorado	36	32	31	1
Connecticut	-	-	100	-
Delaware	66	22	11	1
Florida	1	9	72	18
Georgia	6	22	61	11
Idaho	7	45	48	-
Illinois	12	46	42	-
Indiana	21	40	38	1
Iowa	35	41	24	-
Kansas	31	44	25	-
Kentucky	7	22	70	1
Louisiana	10	50	40	-
Maine	-	17	75	8
Maryland	2	19	77	2
Massachusetts	84	4	12	-
Michigan	25	26	46	3
Minnesota	26	42	32	-
Mississippi	18	25	56	1
Missouri	17	39	44	-
Montana	25	45	30	-
Nebraska	38	48	14	-
Nevada	25	35	30	10
New Hampshire	-	5	95	-
New Jersey	46	25	27	2
New Mexico	29	46	22	3
New York	-	2	86	12
North Carolina	3	18	75	4
North Dakota	15	38	45	2
Ohio	20	39	40	1
Oklahoma	32	45	23	-
Oregon	26	51	22	1
Pennsylvania	1	11	85	3
Rhode Island	20	20	60	-
South Carolina	4	32	55	9
South Dakota	30	43	27	-
Tennessee	8	32	58	2
Texas	28	48	24	-
Utah	14	46	31	9
Vermont	-	49	51	-
Virginia	-	15	82	3
Washington	36	36	28	-
West Virginia	41	36	23	-
Wisconsin	22	39	38	1
Wyoming	58	35	7	-
48 States	23	39	37	1
Previous week	18	34	45	3
Previous year	17	30	49	4

- Represents zero.

Subsoil Moisture Condition - Selected States: Week Ending October 13, 2024

[National subsoil moisture conditions for selected States are weighted based on cropland acreage]

State	Very short (percent)	Short (percent)	Adequate (percent)	Surplus (percent)
Alabama	13	32	51	4
Arizona	6	10	83	1
Arkansas	26	26	44	4
California	15	10	75	-
Colorado	26	27	46	1
Connecticut	-	-	100	-
Delaware	39	46	14	1
Florida	1	7	69	23
Georgia	3	25	66	6
Idaho	11	53	35	1
Illinois	13	45	42	-
Indiana	22	41	36	1
Iowa	27	45	28	-
Kansas	28	46	26	-
Kentucky	7	24	68	1
Louisiana	12	50	38	-
Maine	-	10	85	5
Maryland	6	39	53	2
Massachusetts	79	9	12	-
Michigan	17	40	41	2
Minnesota	17	34	48	1
Mississippi	15	30	54	1
Missouri	12	35	53	-
Montana	29	43	28	-
Nebraska	33	46	21	-
Nevada	5	55	35	5
New Hampshire	-	-	100	-
New Jersey	49	17	34	-
New Mexico	33	43	22	2
New York	-	3	90	7
North Carolina	3	6	86	5
North Dakota	13	35	49	3
Ohio	21	56	23	-
Oklahoma	33	43	24	-
Oregon	23	44	33	-
Pennsylvania	-	15	85	-
Rhode Island	20	20	60	-
South Carolina	2	27	63	8
South Dakota	24	37	39	-
Tennessee	8	31	60	1
Texas	23	42	34	1
Utah	12	35	44	9
Vermont	-	-	100	-
Virginia	-	13	83	4
Washington	38	35	27	-
West Virginia	46	45	9	-
Wisconsin	15	37	47	1
Wyoming	42	49	9	-
48 States	20	37	42	1
Previous week	17	35	46	2
Previous year	21	34	43	2

- Represents zero.

Crop Progress and Condition Tables Expected Next Week

Corn: Mature, Harvested
Cotton: Bolls Opening, Harvested, Condition
Pasture and Range: Condition
Peanuts: Harvested, Condition
Rice: Harvested
Sorghum: Mature, Harvested
Soybeans: Harvested

Sugarbeets: Harvested
Sunflowers: Harvested
Winter Wheat: Planted, Emerged
Days Suitable for Fieldwork
Topsoil Moisture Condition
Subsoil Moisture Condition

Statistical Methodology

Survey Procedures: Crop progress and condition estimates are based on survey data collected each week from early April through the end of November. The non-probability crop progress and condition surveys include input from approximately 3,600 respondents whose occupations provide them opportunities to make visual observations and frequently bring them in contact with farmers in their counties. Based on standard definitions, these respondents subjectively estimate the progress of crops through various stages of development, as well as the progress of producer activities. They also provide subjective evaluations of crop conditions.

Most respondents complete their questionnaires on Friday or early Monday morning and submit them to the National Agricultural Statistics Service (NASS) Field Offices in their States by mail, telephone, fax, e-mail, or through a secured internet website. A small number of reports are completed on Thursday, Saturday, and Sunday. Regardless of when questionnaires are completed, respondents are asked to report for the entire week ending on Sunday. For reports submitted prior to the Sunday reference date, a degree of uncertainty is introduced by projections for weekend changes in progress and condition. By the end of the 2020 season, over 95 percent of the data were being submitted through the internet website. As a result, the majority of all data are submitted on Monday morning, significantly reducing projection uncertainty.

Respondents are sent written reporting instructions at the beginning of each season and are contacted periodically to ensure proper reporting. Terms and definitions of crop stages and condition categories used as reporting guidelines are available on the NASS website at www.nass.usda.gov/Publications/National_Crop_Progress.

Estimating Procedures: Reported data are reviewed for reasonableness and consistency by comparing with data reported the previous week and data reported in surrounding counties for the current week. Field Offices summarize the reported data to district and State levels, weighting each county's reported data by NASS county acreage estimates. Summarized indications are compared with previous week estimates, and progress items are compared with earlier stages of development and historical averages to ensure reasonableness. Weather events and respondent comments are also taken into consideration. State estimates are submitted to the Agricultural Statistics Board (ASB) along with supporting comments, where they are compared with surrounding States and compiled into a National level summary by weighting each State by its acreage estimates. National crop planting progress, progress of development stages, and condition estimates are weighted using the program State's average planted acres over the previous three crop years. National crop harvest progress estimates are weighted using the program State's average harvested acres over the previous three crop years. Pasture and range condition is weighted using pasture acreage and/or livestock inventories from the most recent Census of Agriculture. Days suitable for fieldwork, topsoil moisture and subsoil moisture are weighted using cropland acreage from the Census of Agriculture.

Revision Policy: Progress and condition estimates in the *Crop Progress* report are released after 4:00 pm ET on the first business day of the week. These estimates are subject to revision the following week.

Information Contacts

Listed below are the commodity statisticians in the Crops Branch of the National Agricultural Statistics Service to contact for additional information. E-mail inquiries may be sent to nass@usda.gov.

Patrick Boyle, Chief, Crops Branch (202) 720-2127

Chris Hawthorn, Head, Field Crops Section (202) 720-2127

Irwin Anolik – Crop Progress and Condition, Flaxseed, Mustardseed (202) 720-7621

Joshua Bates – Hemp, Oats, Soybeans (202) 690-3234

Natasha Bruton – Barley, Cotton System Consumption and Stocks, Grain Crushings (202) 690-1042

David Colwell – Fats and Oils, Flour Milling Products (202) 720-8800

Michelle Harder – Hay, Peanuts (202) 690-8533

Brittany Brown – Corn, Proso Millet, Rice (202) 720-2127

James Johanson – Rye, Wheat (202) 720-8068

Becky Sommer – Cotton, Cotton Ginnings, Sorghum (202) 720-5944

Travis Thorson – Canola, Rapeseed, Safflower, Sunflower (202) 720-7369

Access to NASS Reports

For your convenience, you may access NASS reports and products the following ways:

- All reports are available electronically, at no cost, on the NASS web site: www.nass.usda.gov.
- Both national and state specific reports are available via a free e-mail subscription. To set-up this free subscription, visit www.nass.usda.gov and click on “National” or “State” in upper right corner above “search” box to create an account and select the reports you would like to receive.
- Cornell’s Mann Library has launched a new website housing NASS’s and other agency’s archived reports. The new website, <https://usda.library.cornell.edu>. All email subscriptions containing reports will be sent from the new website, <https://usda.library.cornell.edu>. To continue receiving the reports via e-mail, you will have to go to the new website, create a new account and re-subscribe to the reports. If you need instructions to set up an account or subscribe, they are located at: <https://usda.library.cornell.edu/help>. You should whitelist notifications@usda-esmis.library.cornell.edu in your email client to avoid the emails going into spam/junk folders.

For more information on NASS surveys and reports, call the NASS Agricultural Statistics Hotline at (800) 727-9540, 7:30 a.m. to 4:00 p.m. ET, or e-mail: nass@usda.gov.

The U.S. Department of Agriculture (USDA) prohibits discrimination against its customers, employees, and applicants for employment on the basis of race, color, national origin, age, disability, sex, gender identity, religion, reprisal, and where applicable, political beliefs, marital status, familial or parental status, sexual orientation, or all or part of an individual's income is derived from any public assistance program, or protected genetic information in employment or in any program or activity conducted or funded by the Department. (Not all prohibited bases will apply to all programs and/or employment activities.)

If you wish to file a Civil Rights program complaint of discrimination, complete the [USDA Program Discrimination Complaint Form](#) (PDF), found online at www.ascr.usda.gov/filing-program-discrimination-complaint-usda-customer, or at any USDA office, or call (866) 632-9992 to request the form. You may also write a letter containing all of the information requested in the form. Send your completed complaint form or letter to us by mail at U.S. Department of Agriculture, Director, Office of Adjudication, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, by fax (202) 690-7442 or email at program.intake@usda.gov.