



CITRUS

**2015-2016 CITRUS SUMMARY
PRODUCTION, PRICE AND VALUE
PRODUCTION BY COUNTY AND PER TREE**

Cooperating with the Florida Department of Agriculture and Consumer Services
2290 Lucien Way, Suite 300, Maitland, FL 32751-7058
(407) 648-6013 · (855) 271-9801 FAX · www.nass.usda.gov/fl

September 12, 2016

All Citrus Production Down 16 Percent, Value Down 21 Percent

The \$825.25 million preliminary on-tree value of the 2015-2016 citrus crop is 21 percent less than the \$1.05 billion revised value for 2014-2015 crop and is the lowest since the 2004-2005 hurricane affected season. Florida accounted for 49 percent of the total U.S. citrus production in 2015-2016 with 94.2 million boxes, down 16 percent from the previous season's 112.8 million boxes.

Production decreased for all citrus varieties when compared to last season. All orange production decreased by 16 percent to 81.6 million boxes. Non-Valencia production is 36.1 million boxes, down 24 percent from the 2014-2015 season. Valencia orange production at 45.5 million boxes is down 8 percent. All grapefruit production decreased 16 percent to 10.8 million boxes. Production of tangerines is down 38 percent, and tangelo production is down 41 percent.

The 2015-2016 on-tree price per box is lower for oranges and Honey tangerines, but higher for the grapefruit, tangelos and early tangerines. Only grapefruit and tangelos have a higher value of production than last season. Prices in this report are preliminary for 2015-2016, but revised prices are shown for 2014-2015.

Citrus Production, Utilization, Price, and Value, by Variety – Florida: Crop Years 2014-2015 and 2015-2016

| Variety | Production (1,000 boxes) | Crop utilization | | On-tree | |
|--------------------------------------|-----------------------------|----------------------------|-----------------------------|----------------------------|--|
| | | Fresh use (1,000 boxes) | Processing (1,000 boxes) | Price per box (dollars) | Value of production (1,000 dollars) |
| Non-Valencia Oranges | | | | | |
| 2014-2015 | 47,400 | 2,815 | 44,585 | 8.40 | 397,943 |
| 2015-2016 | 36,100 | 2,199 | 33,901 | 7.61 | 274,644 |
| Valencia Oranges | | | | | |
| 2014-2015 | 49,550 | 2,155 | 47,395 | 10.32 | 511,444 |
| 2015-2016 | 45,500 | 1,720 | 43,780 | 8.96 | 407,624 |
| All Oranges | | | | | |
| 2014-2015 | 96,950 | 4,970 | 91,980 | 9.38 | 909,387 |
| 2015-2016 | 81,600 | 3,919 | 77,681 | 8.36 | 682,268 |
| White Grapefruit | | | | | |
| 2014-2015 | 3,250 | 632 | 2,618 | 5.57 | 18,116 |
| 2015-2016 | 2,490 | 587 | 1,903 | 8.49 | 21,135 |
| Red Grapefruit | | | | | |
| 2014-2015 | 9,650 | 5,076 | 4,574 | 7.82 | 75,432 |
| 2015-2016 | 8,310 | 4,359 | 3,951 | 10.48 | 87,094 |
| All Grapefruit | | | | | |
| 2014-2015 | 12,900 | 5,708 | 7,192 | 7.25 | 93,548 |
| 2015-2016 | 10,800 | 4,946 | 5,854 | 10.02 | 108,229 |
| Tangelos | | | | | |
| 2014-2015 | 665 | 346 | 319 | 10.45 | 6,951 |
| 2015-2016 | 390 | 240 | 150 | 18.87 | 7,361 |
| Early Tangerines ¹ | | | | | |
| 2014-2015 | 1,445 | 978 | 467 | 16.87 | 24,382 |
| 2015-2016 | 785 | 544 | 241 | 20.09 | 15,769 |
| Honey Tangerines | | | | | |
| 2014-2015 | 820 | 572 | 248 | 18.90 | 15,498 |
| 2015-2016 | 630 | 414 | 216 | 18.53 | 11,671 |
| All Tangerines | | | | | |
| 2014-2015 | 2,265 | 1,550 | 715 | 17.60 | 39,857 |
| 2015-2016 | 1,415 | 958 | 457 | 19.36 | 27,395 |
| All Citrus | | | | | |
| 2014-2015 | 112,780 | (X) | (X) | (X) | 1,049,743 |
| 2015-2016 | 94,205 | (X) | (X) | (X) | 825,253 |

X Not applicable.

¹ Fallglo and Sunburst varieties.

Citrus Production by County and Production Area, by Type – Florida: 2015-2016

| County | All citrus (1,000 boxes) | Oranges | | | Grapefruit | | |
|--------------------------|-----------------------------|-------------------------------|-------------------------------------|----------------------|------------------------|----------------------|----------------------|
| | | Non-Valencia (1,000 boxes) | Late (Valencia) (1,000 boxes) | All (1,000 boxes) | White (1,000 boxes) | Red (1,000 boxes) | All (1,000 boxes) |
| Brevard..... | 335 | 164 | 142 | 306 | - | 11 | 11 |
| Charlotte..... | 2,696 | 805 | 1,668 | 2,473 | 8 | 126 | 134 |
| Collier..... | 6,677 | 2,784 | 3,619 | 6,403 | 10 | 172 | 182 |
| De Soto..... | 12,773 | 5,166 | 7,470 | 12,636 | 5 | 96 | 101 |
| Glades..... | 1,360 | 727 | 608 | 1,335 | - | 5 | 5 |
| Hardee..... | 8,436 | 5,533 | 2,762 | 8,295 | 2 | 83 | 85 |
| Hendry..... | 14,282 | 5,086 | 8,729 | 13,815 | 107 | 192 | 299 |
| Hernando..... | 91 | 84 | 1 | 85 | 1 | 3 | 4 |
| Highlands..... | 9,735 | 3,139 | 6,287 | 9,426 | 53 | 91 | 144 |
| Hillsborough..... | 718 | 420 | 264 | 684 | 1 | 8 | 9 |
| Indian River..... | 5,965 | 717 | 858 | 1,575 | 1,277 | 3,023 | 4,300 |
| Lake..... | 1,606 | 684 | 528 | 1,212 | 24 | 182 | 206 |
| Lee..... | 2,128 | 686 | 1,311 | 1,997 | 12 | 51 | 63 |
| Manatee..... | 3,282 | 1,690 | 1,552 | 3,242 | 4 | 23 | 27 |
| Marion..... | 163 | 97 | 34 | 131 | 1 | 6 | 7 |
| Martin..... | 684 | 96 | 579 | 675 | 4 | 1 | 5 |
| Okeechobee..... | 1,152 | 514 | 483 | 997 | 45 | 81 | 126 |
| Orange..... | 351 | 153 | 168 | 321 | - | 12 | 12 |
| Osceola..... | 1,463 | 773 | 532 | 1,305 | 69 | 69 | 138 |
| Pasco..... | 687 | 470 | 193 | 663 | - | 8 | 8 |
| Polk..... | 12,539 | 5,734 | 5,905 | 11,639 | 87 | 266 | 353 |
| St. Lucie..... | 6,693 | 407 | 1,687 | 2,094 | 777 | 3,722 | 4,499 |
| Sarasota..... | 212 | 63 | 86 | 149 | 1 | 55 | 56 |
| Seminole..... | 43 | 26 | 11 | 37 | - | 2 | 2 |
| Volusia..... | 111 | 66 | 21 | 87 | 2 | 17 | 19 |
| Other ² | 23 | 16 | 2 | 18 | - | 5 | 5 |
| Total..... | 94,205 | 36,100 | 45,500 | 81,600 | 2,490 | 8,310 | 10,800 |
| Indian River..... | 12,487 | 1,031 | 2,445 | 3,476 | 2,041 | 6,771 | 8,812 |
| Northern..... | 3,029 | 1,579 | 950 | 2,529 | 26 | 218 | 244 |
| Central..... | 23,397 | 9,455 | 12,600 | 22,055 | 191 | 424 | 615 |
| Western..... | 25,421 | 12,872 | 12,134 | 25,006 | 13 | 265 | 278 |
| Southern..... | 29,871 | 11,163 | 17,371 | 28,534 | 219 | 632 | 851 |

See footnote(s) at end of table.

--continued

The top 5 citrus producing counties were Hendry (14.3 million boxes), De Soto (12.8 million), Polk (12.5 million), Highlands (9.7 million), and Hardee (8.4 million). Together they account for 61 percent of the state's total citrus production. The Southern area had the most citrus, followed by the Western and Central areas. The remaining two areas, the Indian River and Northern area, account for only 16 percent of the state's total citrus production. Oranges constitute 87 percent of the citrus production, grapefruit accounted for over 11 percent, and tangerines and tangelos represent only 2 percent.

Estimates of county production are prepared from objective survey data used in forecasting citrus crop production. The apportionment of final harvest to the counties is based on bearing trees, an estimate of the average fruit per tree, and the drop and size surveys. Sample size used in these surveys and the distribution of the sample groves around the state are chosen to minimize error in the estimates of production and are not to be considered as precise for the counties as at the state or area levels.

Citrus Production by County and Production Area, by Type – Florida: 2015-2016

(continued)

| County | Tangerines | | | Tangelos |
|--------------------------|--------------------|---------------|---------------|---------------|
| | Early ¹ | Honey | All | |
| | (1,000 boxes) | (1,000 boxes) | (1,000 boxes) | (1,000 boxes) |
| Brevard | 5 | - | 5 | 13 |
| Charlotte | 38 | 45 | 83 | 6 |
| Collier..... | 31 | 55 | 86 | 6 |
| De Soto..... | 9 | 16 | 25 | 11 |
| Glades..... | - | 20 | 20 | - |
| Hardee | 28 | 13 | 41 | 15 |
| Hendry | 21 | 112 | 133 | 35 |
| Hernando | 2 | - | 2 | - |
| Highlands..... | 87 | 62 | 149 | 16 |
| Hillsborough..... | 18 | 2 | 20 | 5 |
| Indian River..... | 16 | 31 | 47 | 43 |
| Lake | 130 | 14 | 144 | 44 |
| Lee..... | 32 | 35 | 67 | 1 |
| Manatee | 3 | 2 | 5 | 8 |
| Marion | 21 | - | 21 | 4 |
| Martin..... | - | 3 | 3 | 1 |
| Okeechobee..... | 6 | 10 | 16 | 13 |
| Orange | 10 | 1 | 11 | 7 |
| Osceola..... | 10 | 3 | 13 | 7 |
| Pasco..... | 11 | 3 | 14 | 2 |
| Polk..... | 295 | 166 | 461 | 86 |
| St. Lucie | 6 | 37 | 43 | 57 |
| Sarasota..... | 2 | - | 2 | 5 |
| Seminole..... | 1 | - | 1 | 3 |
| Volusia | 3 | - | 3 | 2 |
| Other ² | - | - | - | - |
| Total | 785 | 630 | 1,415 | 390 |
| Indian River..... | 23 | 66 | 89 | 110 |
| Northern..... | 178 | 18 | 196 | 60 |
| Central | 391 | 228 | 619 | 108 |
| Western..... | 60 | 33 | 93 | 44 |
| Southern | 133 | 285 | 418 | 68 |

- Represents zero.

¹ Fallglo and Sunburst varieties.

² Citrus and Putnam Counties.

Non-Valencia Orange Estimated Boxes of Fruit per Tree, by Age Group and Production Area – Florida: 2011-2012 through 2015-2016

| Production area | Age of trees | | | | | Average ¹ |
|-----------------------------------|------------------|------------------|------------------|------------------|--------------------|----------------------|
| | 3 – 5 years | 6 – 8 years | 9 – 13 years | 14 – 23 years | 24 years and older | |
| | (boxes per tree) | (boxes per tree) | (boxes per tree) | (boxes per tree) | (boxes per tree) | (boxes per tree) |
| 2011-2012 | 0.7 | 1.8 | 2.7 | 3.1 | 4.2 | 3.0 |
| Indian River..... | 0.8 | 0.7 | 1.3 | 1.7 | 2.0 | 1.6 |
| Northern & Central..... | 0.7 | 2.0 | 2.8 | 3.7 | 5.3 | 3.7 |
| Western..... | 0.4 | 1.8 | 3.1 | 2.9 | 4.1 | 2.7 |
| Southern..... | 1.4 | 1.7 | 2.3 | 2.7 | 3.8 | 2.7 |
| 2012-2013 | 0.9 | 1.5 | 2.2 | 2.6 | 4.1 | 2.7 |
| Indian River..... | 0.3 | 0.6 | 1.0 | 1.0 | 1.8 | 1.3 |
| Northern & Central..... | 0.9 | 1.2 | 1.9 | 2.9 | 4.4 | 2.9 |
| Western..... | 1.2 | 1.8 | 2.6 | 2.8 | 4.7 | 2.9 |
| Southern..... | 0.5 | 1.1 | 2.1 | 2.5 | 3.7 | 2.5 |
| 2013-2014 | 0.7 | 0.9 | 1.7 | 2.2 | 3.2 | 2.2 |
| Indian River..... | 0.3 | 0.8 | 1.3 | 1.2 | 1.7 | 1.4 |
| Northern & Central..... | 0.8 | 1.1 | 1.5 | 2.4 | 3.5 | 2.4 |
| Western..... | 0.9 | 0.8 | 1.8 | 2.1 | 3.3 | 2.1 |
| Southern..... | 0.3 | 1.1 | 1.9 | 2.2 | 3.1 | 2.2 |
| 2014-2015 | 0.8 | 1.0 | 1.5 | 2.0 | 2.9 | 2.0 |
| Indian River..... | 0.2 | 0.6 | 1.2 | 1.3 | 1.8 | 1.5 |
| Northern & Central..... | 0.7 | 0.8 | 1.4 | 2.0 | 2.8 | 2.0 |
| Western..... | 0.9 | 1.2 | 1.7 | 1.9 | 3.0 | 2.0 |
| Southern..... | 1.0 | 1.0 | 1.2 | 2.3 | 3.1 | 2.2 |
| 2015-2016 | 0.5 | 1.1 | 1.3 | 1.5 | 2.2 | 1.6 |
| Indian River..... | 0.3 | 0.3 | 0.8 | 1.1 | 1.4 | 1.2 |
| Northern & Central..... | 0.5 | 0.9 | 0.8 | 1.5 | 2.0 | 1.5 |
| Western..... | 0.6 | 1.1 | 1.2 | 1.8 | 2.4 | 1.7 |
| Southern..... | 0.5 | 1.6 | 1.9 | 1.4 | 2.4 | 1.8 |
| Average ¹ | 0.7 | 1.3 | 1.9 | 2.4 | 3.2 | 2.3 |
| Indian River..... | 0.4 | 0.6 | 1.1 | 1.3 | 1.8 | 1.4 |
| Northern & Central..... | 0.7 | 1.2 | 1.7 | 2.7 | 3.4 | 2.5 |
| Western..... | 0.8 | 1.3 | 2.1 | 2.3 | 3.4 | 2.3 |
| Southern..... | 0.7 | 1.4 | 1.9 | 2.3 | 3.1 | 2.3 |

¹ Average weighted by bearing trees.

The Florida Agricultural Statistics Service conducts objective surveys to determine fruit per tree, average sizes, and droppage between August and maturity. These data are used to estimate production per tree for each of four types of citrus fruit, as shown in the following tables. The estimates of production per tree are based on official end-of-season production estimates and the number of bearing trees indicated by the Commercial Citrus Inventory. The averages of boxes per tree for age groups shown are calculated from estimates of fruit per tree in August, size at maturity, and drop between August and maturity. Additionally, the boxes are subdivided by production areas. Estimated boxes by type and age group are weighted averages of the indicated seasons. Small sample sizes in some age/area cells and rounding may contribute to inconsistent averages.

Valencia Orange Estimated Boxes of Fruit per Tree, by Age Group and Production Area – Florida: 2011-2012 through 2015-2016

| Production area | Age of trees | | | | | Average ¹ |
|-----------------------------------|------------------|------------------|------------------|------------------|--------------------|----------------------|
| | 3 – 5 years | 6 – 8 years | 9 – 13 years | 14 – 23 years | 24 years and older | |
| | (boxes per tree) | (boxes per tree) | (boxes per tree) | (boxes per tree) | (boxes per tree) | (boxes per tree) |
| 2011-2012 | 0.9 | 1.4 | 1.9 | 2.3 | 3.0 | 2.2 |
| Indian River | 0.4 | 0.9 | 0.7 | 1.1 | 1.2 | 1.0 |
| Northern & Central | 0.9 | 1.7 | 2.6 | 2.9 | 4.1 | 2.8 |
| Western..... | 0.9 | 1.6 | 2.1 | 2.6 | 3.2 | 2.4 |
| Southern | 1.0 | 0.8 | 1.5 | 2.1 | 2.4 | 1.9 |
| 2012-2013 | 0.5 | 1.4 | 1.8 | 2.1 | 2.9 | 2.1 |
| Indian River | 0.2 | 0.6 | 0.6 | 1.1 | 1.0 | 0.9 |
| Northern & Central | 0.3 | 1.6 | 1.8 | 2.4 | 3.6 | 2.4 |
| Western..... | 0.4 | 1.5 | 2.0 | 2.1 | 2.3 | 1.9 |
| Southern | 0.7 | 1.3 | 1.9 | 2.1 | 3.1 | 2.2 |
| 2013-2014 | 0.5 | 0.8 | 1.4 | 1.6 | 2.2 | 1.6 |
| Indian River | 0.3 | 0.7 | 0.3 | 1.0 | 1.0 | 0.8 |
| Northern & Central | 0.4 | 0.9 | 1.4 | 1.8 | 2.6 | 1.8 |
| Western..... | 0.3 | 0.8 | 1.3 | 1.7 | 2.3 | 1.6 |
| Southern | 0.7 | 0.8 | 1.8 | 1.6 | 2.1 | 1.7 |
| 2014-2015 | 0.7 | 0.8 | 1.4 | 1.6 | 2.0 | 1.6 |
| Indian River | 0.7 | 0.7 | 1.3 | 1.1 | 1.1 | 1.1 |
| Northern & Central | 0.8 | 0.6 | 1.4 | 1.5 | 2.3 | 1.7 |
| Western..... | 0.5 | 1.0 | 1.3 | 1.6 | 2.0 | 1.5 |
| Southern | 0.7 | 1.0 | 1.5 | 1.7 | 2.0 | 1.7 |
| 2015-2016 | 0.5 | 1.0 | 1.4 | 1.6 | 1.8 | 1.5 |
| Indian River | 0.8 | 0.7 | 0.9 | 1.3 | 1.5 | 1.3 |
| Northern & Central | (Z) | 0.7 | 1.3 | 1.5 | 1.8 | 1.4 |
| Western..... | 0.7 | 0.9 | 1.4 | 1.5 | 2.0 | 1.5 |
| Southern | 0.7 | 1.2 | 1.6 | 1.9 | 1.8 | 1.7 |
| Average ¹ | 0.6 | 1.1 | 1.6 | 1.9 | 2.3 | 1.8 |
| Indian River | 0.5 | 0.7 | 0.7 | 1.1 | 1.2 | 1.0 |
| Northern & Central | 0.5 | 1.1 | 1.8 | 2.1 | 2.7 | 2.0 |
| Western..... | 0.6 | 1.1 | 1.7 | 1.9 | 2.3 | 1.8 |
| Southern | 0.7 | 1.0 | 1.7 | 1.9 | 2.2 | 1.8 |

Z Less than half of the unit shown.

¹ Average weighted by bearing trees.

White Grapefruit Estimated Boxes of Fruit per Tree, by Age Group and Production Area – Florida: 2011-2012 through 2015-2016

| Production area | Age of trees | | | | | Average ¹ |
|-----------------------------------|------------------|------------------|------------------|------------------|--------------------|----------------------|
| | 3 – 5 years | 6 – 8 years | 9 – 13 years | 14 – 23 years | 24 years and older | |
| | (boxes per tree) | (boxes per tree) | (boxes per tree) | (boxes per tree) | (boxes per tree) | (boxes per tree) |
| 2011-2012 | 1.3 | 2.6 | 3.1 | 3.1 | 5.5 | 3.9 |
| Indian River..... | 0.8 | 2.9 | 3.1 | 2.8 | 5.6 | 3.8 |
| Northern & Central | 0.4 | 1.2 | 3.3 | 4.2 | 6.7 | 4.9 |
| Western | 3.6 | (X) | (X) | 6.5 | 2.4 | 4.0 |
| Southern | (X) | 2.7 | 0.7 | 3.5 | 2.8 | 3.2 |
| 2012-2013 | 2.6 | 2.8 | 2.0 | 3.6 | 4.9 | 4.0 |
| Indian River..... | 1.5 | 2.7 | 1.9 | 3.4 | 4.3 | 3.6 |
| Northern & Central | 0.8 | 2.4 | 3.4 | 3.0 | 6.8 | 4.8 |
| Western | 9.3 | (X) | (X) | 11.0 | 6.0 | 8.3 |
| Southern | (X) | (X) | 0.7 | 6.3 | 6.3 | 5.9 |
| 2013-2014 | 1.0 | 1.9 | 1.5 | 3.5 | 3.5 | 3.3 |
| Indian River..... | 1.1 | 0.8 | 1.5 | 3.7 | 3.2 | 3.2 |
| Northern & Central | 0.9 | 1.7 | 1.8 | 2.6 | 5.6 | 3.8 |
| Western | (X) | 3.5 | (X) | 7.7 | 3.8 | 5.3 |
| Southern | (X) | (X) | 0.8 | 2.0 | 2.8 | 2.4 |
| 2014-2015 | 0.3 | 1.7 | 2.0 | 1.9 | 3.3 | 2.8 |
| Indian River..... | 0.4 | 1.5 | 1.7 | 1.8 | 3.2 | 2.8 |
| Northern & Central | 0.3 | 1.8 | 1.7 | 1.5 | 4.3 | 3.0 |
| Western | (X) | (X) | (X) | 3.7 | 2.4 | 3.1 |
| Southern | - | (X) | 5.2 | 3.1 | 2.1 | 2.6 |
| 2015-2016 | 0.6 | 1.5 | 1.7 | 1.6 | 3.0 | 2.5 |
| Indian River..... | 1.3 | 2.1 | 1.2 | 1.7 | 3.1 | 2.7 |
| Northern & Central | - | 0.8 | 2.6 | 0.5 | 1.9 | 1.5 |
| Western | (X) | (X) | (X) | 1.0 | 2.3 | 1.4 |
| Southern | 1.0 | (X) | 2.4 | 2.2 | 3.5 | 3.1 |
| Average ¹ | 1.2 | 2.2 | 2.1 | 3.1 | 3.9 | 3.4 |
| Indian River..... | 1.0 | 2.4 | 2.0 | 2.9 | 3.7 | 3.2 |
| Northern & Central | 0.5 | 1.5 | 2.6 | 2.8 | 5.0 | 3.7 |
| Western | 6.1 | 3.5 | (X) | 6.3 | 3.7 | 5.0 |
| Southern | 0.5 | 2.7 | 1.9 | 4.0 | 3.2 | 3.5 |

- Represents zero.

X Not applicable.

¹ Average weighted by bearing trees.

**Red Grapefruit Estimated Boxes of Fruit per Tree, by Age Group and Production Area – Florida:
2011-2012 through 2015-2016**

| Production area | Age of trees | | | | | Average ¹ |
|-----------------------------------|------------------|------------------|------------------|------------------|--------------------|----------------------|
| | 3 – 5 years | 6 – 8 years | 9 – 13 years | 14 – 23 years | 24 years and older | |
| | (boxes per tree) | (boxes per tree) | (boxes per tree) | (boxes per tree) | (boxes per tree) | (boxes per tree) |
| 2011-2012 | 1.4 | 2.2 | 2.9 | 4.0 | 4.4 | 3.8 |
| Indian River | 1.6 | 2.2 | 2.8 | 3.3 | 4.3 | 3.6 |
| Northern & Central..... | 0.8 | 2.8 | 7.6 | 8.5 | 6.5 | 7.2 |
| Western..... | 0.2 | 1.3 | 1.7 | 2.6 | 0.9 | 1.6 |
| Southern..... | 2.2 | 1.9 | 2.2 | 3.3 | 6.4 | 3.3 |
| 2012-2013 | 1.7 | 1.6 | 2.6 | 3.6 | 4.7 | 3.7 |
| Indian River | 1.0 | 1.0 | 2.3 | 2.7 | 4.2 | 3.1 |
| Northern & Central..... | 2.2 | 3.4 | 4.3 | 6.1 | 8.8 | 6.3 |
| Western..... | 3.4 | 4.3 | 5.5 | 3.2 | 4.9 | 4.0 |
| Southern..... | 2.6 | 4.0 | 2.0 | 4.6 | 7.3 | 4.6 |
| 2013-2014 | 1.3 | 1.7 | 2.4 | 3.0 | 4.3 | 3.3 |
| Indian River | 0.9 | 1.2 | 2.5 | 2.8 | 4.3 | 3.3 |
| Northern & Central..... | 2.9 | 2.1 | 2.5 | 5.4 | 6.4 | 5.1 |
| Western..... | 0.0 | 0.4 | 1.5 | 0.8 | 1.0 | 0.8 |
| Southern..... | 1.6 | 4.5 | 2.0 | 2.6 | 2.9 | 2.7 |
| 2014-2015 | 0.8 | 1.8 | 3.2 | 2.4 | 3.8 | 2.9 |
| Indian River | 0.8 | 2.0 | 3.4 | 2.5 | 3.8 | 3.1 |
| Northern & Central..... | 0.7 | 1.5 | 1.8 | 3.3 | 4.0 | 3.0 |
| Western..... | 0.3 | 1.7 | 6.3 | 3.3 | 5.1 | 3.6 |
| Southern..... | 0.9 | 1.7 | 1.8 | 1.9 | 2.0 | 1.8 |
| 2015-2016 | 0.9 | 1.9 | 2.2 | 1.9 | 3.5 | 2.6 |
| Indian River | 0.9 | 0.6 | 2.6 | 2.7 | 3.9 | 3.0 |
| Northern & Central..... | 0.4 | 0.8 | 0.8 | 1.1 | 3.1 | 2.0 |
| Western..... | 1.2 | 1.3 | 3.0 | 3.6 | 3.4 | 2.5 |
| Southern..... | 0.9 | 6.6 | 0.7 | 0.6 | 1.0 | 1.2 |
| Average ¹ | 1.2 | 1.8 | 2.6 | 3.2 | 4.1 | 3.3 |
| Indian River | 1.0 | 1.5 | 2.7 | 2.9 | 4.1 | 3.2 |
| Northern & Central..... | 1.6 | 1.8 | 3.0 | 5.7 | 5.3 | 4.8 |
| Western..... | 1.4 | 1.4 | 3.1 | 2.7 | 3.2 | 2.4 |
| Southern..... | 1.4 | 3.8 | 1.8 | 2.8 | 2.9 | 2.7 |

¹ Average weighted by bearing trees.

Citrus Equivalent Return per Box, by Variety and Utilization – Florida: Crop Years 2013-2014 through 2015-2016

[2013-2014 and 2014-2015 revised to reflect final payments in cooperative and participation plans and changes in pick, haul and packing charges. 2015-2016 preliminary price based on cash sales only]

| Fruit type | Methods of sale | | | Fruit type | Methods of sale | | |
|------------------------------|--------------------|-------------------------|------------------|--------------------|--------------------|-------------------------|------------------|
| | Fresh (dollars) | Processing (dollars) | All (dollars) | | Fresh (dollars) | Processing (dollars) | All (dollars) |
| Oranges | | | | Grapefruit | | | |
| Navel | | | | White ¹ | | | |
| 2013-2014 | 17.65 | 1.92 | 14.18 | 2013-2014 | 15.15 | 4.05 | 6.16 |
| 2014-2015 | 20.75 | 2.13 | 16.57 | 2014-2015 | 12.55 | 3.89 | 5.57 |
| 2015-2016 | 23.35 | 1.87 | 17.28 | 2015-2016 | 17.85 | 5.60 | 8.49 |
| Non-Valencia, excl. Navel | | | | Red | | | |
| 2013-2014 | 9.45 | 8.10 | 8.15 | 2013-2014 | 11.80 | 2.85 | 7.44 |
| 2014-2015 | 12.15 | 7.95 | 8.11 | 2014-2015 | 11.95 | 3.23 | 7.82 |
| 2015-2016 | 14.85 | 6.98 | 7.31 | 2015-2016 | 14.85 | 5.66 | 10.48 |
| Non-Valencia | | | | All Grapefruit | | | |
| 2013-2014 | 13.25 | 8.10 | 8.41 | 2013-2014 | 12.20 | 3.30 | 7.10 |
| 2014-2015 | 15.45 | 7.95 | 8.40 | 2014-2015 | 12.02 | 3.47 | 7.25 |
| 2015-2016 | 17.75 | 6.95 | 7.61 | 2015-2016 | 15.21 | 5.64 | 10.02 |
| Valencia | | | | Tangerines | | | |
| 2013-2014 | 14.15 | 10.75 | 10.90 | Early ² | | | |
| 2014-2015 | 13.00 | 10.20 | 10.32 | 2013-2014 | 20.90 | 2.69 | 15.00 |
| 2015-2016 | 13.00 | 8.80 | 8.96 | 2014-2015 | 23.35 | 3.31 | 16.87 |
| All Oranges | | | | 2015-2016 | 27.85 | 2.57 | 20.09 |
| 2013-2014 | 13.62 | 9.41 | 9.63 | Honey | | | |
| 2014-2015 | 14.39 | 9.11 | 9.38 | 2013-2014 | 23.90 | 4.63 | 17.40 |
| 2015-2016 | 15.67 | 7.99 | 8.36 | 2014-2015 | 25.55 | 3.56 | 18.90 |
| Tangelos | | | | 2015-2016 | 26.35 | 3.53 | 18.53 |
| 2013-2014 | 12.40 | 4.55 | 8.06 | All Tangerines | | | |
| 2014-2015 | 17.10 | 3.24 | 10.45 | 2013-2014 | 22.10 | 3.48 | 15.97 |
| 2015-2016 | 29.30 | 2.19 | 18.87 | 2014-2015 | 24.15 | 3.39 | 17.60 |
| | | | | 2015-2016 | 27.15 | 3.03 | 19.36 |

¹ Includes seedy grapefruit.

² Fallglo and Sunburst varieties.

Citrus Bearing Trees by Variety and Age Group – Florida: Crop Year 2015-2016

| Fruit type | Age 1 2010-2012 | Age 2 2007-2009 | Age 3 2002-2006 | Age 4 1992-2001 | Age 5 1991 and earlier | Total bearing trees |
|-------------------------------------|--------------------|--------------------|--------------------|--------------------|------------------------------|---------------------------|
| | (1,000 trees) | (1,000 trees) | (1,000 trees) | (1,000 trees) | (1,000 trees) | (1,000 trees) |
| Non-Valencia Oranges..... | 2,311 | 2,158 | 3,241 | 5,857 | 8,852 | 22,419 |
| Valencia Oranges | 2,500 | 2,177 | 3,287 | 9,979 | 11,842 | 29,785 |
| White Grapefruit ¹ | 19 | 18 | 42 | 213 | 689 | 981 |
| Red Grapefruit..... | 447 | 183 | 284 | 709 | 1,595 | 3,218 |

¹ Includes seedy grapefruit.