



Ohio Crop Weather

OH-CW2624

July 1, 2024

Crop Conditions Improved in the North

Southwest Ohio continued to be dry compared to the northern half of the State, according to Ben Torrance, State Statistician, USDA NASS, Ohio Field Office. Topsoil moisture conditions were rated 13 percent very short, 32 percent short, 48 percent adequate, and 7 percent surplus. Statewide, the average temperature for the week ending on June 30 was 72.7 degrees, 1.5 degrees above normal. Weather stations recorded an average of 1.1 inches of precipitation, 0.08 inches above average. There were 4.9 days suitable for fieldwork during the week ending June 30.

Farmers reported some much needed rain in the northern part of Ohio which led to a slowdown in the harvest of wheat. The southern part of the State reported stress to crops with the continued dry conditions. Corn condition was rated 66 percent good to excellent while soybean condition was rated 63 percent good to excellent, each up from the previous week. Winter wheat was 96 percent mature, and 49 percent of the crop was harvested. Winter wheat crop condition was rated 72 percent good to excellent, up from the previous week. Oat progress advanced 71 percent headed. Crop condition for oats was rated 80 percent good to excellent, down from the previous week. Second cuttings of alfalfa and other dry hay were 31 percent and 8 percent completed, respectively. Pasture and range condition was rated 57 percent good to excellent. Farmers were finishing side dressing of corn, bailing straw, and planting double crop soybeans.

Soil Moisture: Week Ending 06/30/24


Item	Very short	Short	Adequate	Surplus
	(percent)	(percent)	(percent)	(percent)
Topsoil moisture	13	32	48	7
Subsoil moisture	8	32	58	2


Crop Progress: Week Ending 06/30/24


	Percent Completed								
Crop/Activity	This	Last	Last	5 Year					
	week	week	year	average					
Days Suitable for Fieldwork	4.9	6.4	NA	NA					
Corn Silking	3	0	0	1					
Soybeans Emerged	97	94	100	90					
Soybeans Blooming	12	1	3	7					
Oats Headed	71	43	84	81					
Winter Wheat Mature	96	86	69	68					
Winter Wheat Harvested	49	17	4	14					
Alfalfa Hay 2nd Cutting	31	3	34	28					
Other Hay 1st Cutting	95	91	99	85					
Other Hay 2nd Cutting	8	1	16	18					

Crop Condition: Week Ending 06/30/24

Crop	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Corn	1	7	26	54	12
Soybeans	2	7	28	53	10
Winter Wheat	2	3	23	57	15
Oats	0	0	20	77	3
Pasture and Range	1	4	38	53	4







Weather Summary For Ohio

Precipity Pre	·	, carrier Sa	Since April 1									
Northwest 87 60 72 -1 1.79 5 12.23 1.07 42 1257 278 70.0EDO EXPRESS AP 87 58 72 0 3.66 3 17.07 6.73 44 349 359 70.1EDO EXPRESS AP 86 60 72 0 1.06 2.0 12.01 1.07 43 1449 359 70.0EDO EXPRESS AP 86 60 72 0 1.06 2.0 12.01 1.06 1.09 1.00 1.00 1.00 1.00 1.00 1.00 1.00		Т	Temperature		re	Precip	Precipitation		Precipitation			
BRYAN 2 SE		High	Low	Avg	DFN	Total	Days	Total	DFN	Days		
TOLEDO EXPRESS AP	Northwest											
NOTIFY CENTERS NOTIF	BRYAN 2 SE	87	60	72	-1	1.79	5	12.23	1.07	42	1257	278
North Central BUCYRUS	TOLEDO EXPRESS AP	87	58	72	0	3.56	3	17.07	6.73	44	1349	345
BUCYRUS	VAN WERT 1 S	86	60	72	-1	1.42	5	13.36	1.19	39	1449	359
FREMONT MANSFIELD LAHM RGNL AP 84 55 71 1 0.62 3 11.74 0.28 43 1281 262 MANSFIELD LAHM RGNL AP 84 55 71 1 0.62 3 10.45 -2.98 37 1314 389 Northeast CHARDON 81 48 68 0 0.46 2 10.26 -2.73 40 1014 255 CLEVELAND-HOPKINS INTL AP 85 57 72 0 0.51 3 8.76 -1.82 33 1358 349 WARREN 3 S 80 52 67 -2 1.57 2 13.65 2.15 36 991 180 WARREN 3 S 80 52 67 -2 1.57 2 13.65 2.15 36 991 180 WARREN 3 S 87 59 73 1 1.64 3 12.60 0.29 40 1220 210 Central EBELLEFONTAINE 84 59 70 -1 1.71 2 13.84 1.56 42 1263 227 SIDNEY 1 S 87 59 73 1 1.64 3 12.60 0.29 40 1220 210 Central CENTERBURG 2 SE 87 58 72 0 1.71 4 13.96 1.09 42 1361 327 CIRCLEVILLE 91 58 74 1 0.28 4 9.87 -2.33 38 1468 312 MARYSVILLE 86 58 72 -2 1.53 3 12.95 0.84 36 1371 227 East Central EBENINSON WATER WORKS 89 58 73 2 0.72 2 13.82 1.74 36 1288 336 STEUBENVILLE 88 58 72 -1 0.94 3 11.61 -0.30 36 1085 48 SOUTHWEST STEUBENVILLE 88 58 72 -1 0.43 4 13.69 0.45 37 1331 227 FRANKLIN 87 1DAY NOW SIGHT BROTHERS AP 87 58 74 1 0.23 3 7.04 -5.51 38 1571 404 EATON 88 58 72 -1 0.43 4 13.69 0.45 37 1331 227 FRANKLIN 87 1DAY NOW SIGHT BROTHERS AP 90 58 74 1 0.23 3 8.50 -3.91 36 466 -686 SOUTH POINT 96 63 78 2 0.47 1 11.80 -1.42 33 1547 249 WAVERLY 94 59 76 1 0.21 1 10.68 -1.15 31 1552 357 SOUTH POINT 96 63 78 2 0.47 1 11.80 -1.42 33 1547 249 WAVERLY 94 59 76 1 0.21 1 10.68 -1.15 31 1552 357 SOUTH POINT 96 63 78 2 0.47 1 11.80 -1.42 33 1547 249 WAVERLY 94 59 76 1 0.21 1 10.68 -1.15 31 1552 357 SOUTH POINT 96 63 78 8 73 0 0.00 0 0 8.94 -3.02 38 1344 211 HANNIBAL LOCKS AND DAM 89 58 73 1 0.91 2 13.07 1.14 40 1282 265 LOGAN 89 58 73 1 0.91 2 13.07 1.14 40 1282 265 LOGAN	North Central											
MANSFIELD LAHM RGNL AP 84 55 71 1 0.62 3 10.45 2.98 37 1314 389 Northeast	BUCYRUS	87	57	71	0	0.96	3	12.98	0.85	41	1271	318
Northeast	FREMONT	85	60	73	0	1.20	3	11.74	0.28	43	1281	262
CHARDON	MANSFIELD LAHM RGNL AP	84	55	71	1	0.62	3	10.45	-2.98	37	1314	389
CLEVELAND-HOPKINS INTL AP 85 57 72 0 0.51 3 8.76 -1.82 33 1358 349 WARREN 3 S 80 52 67 -2 1.57 2 13.65 2.15 36 991 180 West Central	Northeast											
WARREN 3 S	CHARDON	81	48	68	0	0.46	2	10.26	-2.73	40	1014	255
BELLEFONTAINE	CLEVELAND-HOPKINS INTL AP	85	57	72	0	0.51	3	8.76	-1.82	33	1358	349
BELLEFONTAINE SIDNEY I S 87 59 73 1 1.64 3 12.60 0.29 40 1220 210 Central CENTERBURG 2 SE CIRCLEVILLE SIDNEY SENTE SENT SENTE SENT	WARREN 3 S	80	52	67	-2	1.57	2	13.65	2.15	36	991	180
SIDNEY I S 87 59 73 1 1.64 3 12.60 0.29 40 1220 210	West Central											
CENTERBURG 2 SE	BELLEFONTAINE	84	59	70	-1	1.71	2	13.84	1.56	42	1263	227
CENTERBURG 2 SE	SIDNEY 1 S	87	59	73	1	1.64	3	12.60	0.29	40	1220	210
CIRCLEVILLE 86 58 72 -2 1.53 3 12.95 0.84 36 1371 227 East Central DENNISON WATER WORKS 89 58 73 2 0.72 2 13.82 1.74 36 1288 336 STEUBENVILLE 88 56 73 1 0.94 3 11.61 -0.30 36 1085 48 Eatton Water Works 88 56 73 1 0.94 3 11.61 -0.30 36 1085 48 Southwest DAYTON WRIGHT BROTHERS AP 90 58 74 1 0.23 3 7.04 -5.51 38 1571 404 EATON 88 58 72 -1 0.43 4 13.69 0.45 37 1331 227 FRANKLIN 87 Inf Nan Nan 0.25 3 8.50 -3.91 36 466 -686 South Central HILLSBORO 86 59 72 0 0.51 3 13.50 0.71 42 1323 226 PORTSMOUTH-SCIOTOVILLE 91 60 76 1 0.11 3 10.40 -1.65 41 1514 229 SOUTH POINT 96 63 78 2 0.47 1 11.80 -1.42 33 1547 249 WAVERLY 94 59 76 1 0.21 1 10.68 -1.15 31 1552 357 Southeast BEVERLY STP 87 58 73 0 0.00 0 8.94 -3.02 38 1344 211 HANNIBAL LOCKS AND DAM 89 58 73 1 0.91 2 13.07 1.14 40 1282 265 LOGAN 89 58 74 2 0.68 3 12.57 0.24 40 1401 408	Central							•				
MARYSVILLE 86 58 72 -2 1.53 3 12.95 0.84 36 1371 227 East Central DENNISON WATER WORKS 89 58 73 2 0.72 2 13.82 1.74 36 1288 336 STEUBENVILLE 88 56 73 1 0.94 3 11.61 -0.30 36 1085 48 Southwest DAYTON WRIGHT BROTHERS AP 90 58 74 1 0.23 3 7.04 -5.51 38 1571 404 EATON 88 58 72 -1 0.43 4 13.69 0.45 37 1331 227 FRANKLIN 87 Inf NaN NaN 0.25 3 8.50 -3.91 36 466 -686 SOUTH Central HILLSBORO 86 59 72 0 0.51 3 13.50 0.71 <td>CENTERBURG 2 SE</td> <td>87</td> <td>58</td> <td>72</td> <td>0</td> <td>1.71</td> <td>4</td> <td>13.96</td> <td>1.09</td> <td>42</td> <td>1361</td> <td>327</td>	CENTERBURG 2 SE	87	58	72	0	1.71	4	13.96	1.09	42	1361	327
DENNISON WATER WORKS 89 58 73 2 0.72 2 13.82 1.74 36 1288 336 STEUBENVILLE 88 56 73 1 0.94 3 11.61 -0.30 36 1085 48 386 38	CIRCLEVILLE	91	58	74	1	0.28	4	9.87	-2.33	38	1468	312
DENNISON WATER WORKS 89 58 73 2 0.72 2 13.82 1.74 36 1288 336 STEUBENVILLE 88 56 73 1 0.94 3 11.61 -0.30 36 1085 48 48 48 48 48 49 49 49	MARYSVILLE	86	58	72	-2	1.53	3	12.95	0.84	36	1371	227
STEUBENVILLE	East Central							•				
DAYTON WRIGHT BROTHERS AP 90 58 74 1 0.23 3 7.04 -5.51 38 1571 404 EATON 88 58 72 -1 0.43 4 13.69 0.45 37 1331 227 FRANKLIN 87 Inf NaN NaN 0.25 3 8.50 -3.91 36 466 -686 South Central	DENNISON WATER WORKS	89	58	73	2	0.72	2	13.82	1.74	36	1288	336
DAYTON WRIGHT BROTHERS AP 90 58 74 1 0.23 3 7.04 -5.51 38 1571 404 405	STEUBENVILLE	88	56	73	1	0.94	3	11.61	-0.30	36	1085	48
EATON 88 58 72 -1 0.43 4 13.69 0.45 37 1331 227 FRANKLIN 87 Inf Nan Nan 0.25 3 8.50 -3.91 36 466 -686 South Central HILLSBORO 86 59 72 0 0.51 3 13.50 0.71 42 1323 226 PORTSMOUTH-SCIOTOVILLE 91 60 76 1 0.11 3 10.40 -1.65 41 1514 229 SOUTH POINT 96 63 78 2 0.47 1 11.80 -1.42 33 1547 249 WAVERLY 94 59 76 1 0.21 1 10.68 -1.15 31 1552 357 Southeast BEVERLY STP 87 58 73 0 0.00 0 8.94 -3.02 38 1344 211 HANNIBAL LOCKS AND DAM 89 58 73 1 0.91 2 13.07 1.14 40 1282 265 LOGAN 89 58 74 2 0.68 3 12.57 0.24 40 1401 408	Southwest							•				
FRANKLIN 87 Inf Nan Nan 0.25 3 8.50 -3.91 36 466 -686 South Central HILLSBORO PORTSMOUTH-SCIOTOVILLE 91 60 76 1 0.11 3 10.40 -1.65 41 1514 229 SOUTH POINT 96 63 78 2 0.47 1 11.80 -1.42 33 1547 249 WAVERLY 94 59 76 1 0.21 1 10.68 -1.15 31 1552 357 Southeast BEVERLY STP HANNIBAL LOCKS AND DAM 89 58 73 1 0.91 2 13.07 1.14 40 1282 265 LOGAN 89 58 74 2 0.68 3 12.57 0.24 40 1401 408	DAYTON WRIGHT BROTHERS AP	90	58	74	1	0.23	3	7.04	-5.51	38	1571	404
South Central HILLSBORO 86 59 72 0 0.51 3 13.50 0.71 42 1323 226 PORTSMOUTH-SCIOTOVILLE 91 60 76 1 0.11 3 10.40 -1.65 41 1514 229 SOUTH POINT 96 63 78 2 0.47 1 11.80 -1.42 33 1547 249 WAVERLY 94 59 76 1 0.21 1 10.68 -1.15 31 1552 357 Southeast BEVERLY STP 87 58 73 0 0.00 0 8.94 -3.02 38 1344 211 HANNIBAL LOCKS AND DAM 89 58 73 1 0.91 2 13.07 1.14 40 1282 265 LOGAN 89 58 74 2 0.68 3 12.57 0.24 40 1401 408	EATON	88	58	72	-1	0.43	4	13.69	0.45	37	1331	227
HILLSBORO PORTSMOUTH-SCIOTOVILLE 91 60 76 1 0.11 3 10.40 -1.65 41 1514 229 SOUTH POINT 96 63 78 2 0.47 1 11.80 -1.42 33 1547 249 WAVERLY 94 59 76 1 0.21 1 10.68 -1.15 31 1552 357 Southeast BEVERLY STP RANNIBAL LOCKS AND DAM 89 58 73 1 0.91 2 13.07 1.14 40 1282 265 LOGAN 89 58 74 2 0.68 3 12.57 0.24 40 1401 408	FRANKLIN	87	Inf	NaN	NaN	0.25	3	8.50	-3.91	36	466	-686
PORTSMOUTH-SCIOTOVILLE 91 60 76 1 0.11 3 10.40 -1.65 41 1514 229 SOUTH POINT 96 63 78 2 0.47 1 11.80 -1.42 33 1547 249 WAVERLY 94 59 76 1 0.21 1 10.68 -1.15 31 1552 357 Southeast BEVERLY STP 87 58 73 0 0.00 0 8.94 -3.02 38 1344 211 HANNIBAL LOCKS AND DAM 89 58 73 1 0.91 2 13.07 1.14 40 1282 265 LOGAN 89 58 74 2 0.68 3 12.57 0.24 40 1401 408	South Central							•				
SOUTH POINT 96 63 78 2 0.47 1 11.80 -1.42 33 1547 249 WAVERLY 94 59 76 1 0.21 1 10.68 -1.15 31 1552 357 Southeast BEVERLY STP 87 58 73 0 0.00 0 8.94 -3.02 38 1344 211 HANNIBAL LOCKS AND DAM 89 58 73 1 0.91 2 13.07 1.14 40 1282 265 LOGAN 89 58 74 2 0.68 3 12.57 0.24 40 1401 408	HILLSBORO	86	59	72	0	0.51	3	13.50	0.71	42	1323	226
WAVERLY 94 59 76 1 0.21 1 10.68 -1.15 31 1552 357 Southeast BEVERLY STP 87 58 73 0 0.00 0 8.94 -3.02 38 1344 211 HANNIBAL LOCKS AND DAM 89 58 73 1 0.91 2 13.07 1.14 40 1282 265 LOGAN 89 58 74 2 0.68 3 12.57 0.24 40 1401 408	PORTSMOUTH-SCIOTOVILLE	91	60	76	1	0.11	3	10.40	-1.65	41	1514	229
Southeast BEVERLY STP 87 58 73 0 0.00 0 8.94 -3.02 38 1344 211 HANNIBAL LOCKS AND DAM 89 58 73 1 0.91 2 13.07 1.14 40 1282 265 LOGAN 89 58 74 2 0.68 3 12.57 0.24 40 1401 408	SOUTH POINT	96	63	78	2	0.47	1	11.80	-1.42	33	1547	249
BEVERLY STP 87 58 73 0 0.00 0 8.94 -3.02 38 1344 211 HANNIBAL LOCKS AND DAM 89 58 73 1 0.91 2 13.07 1.14 40 1282 265 LOGAN 89 58 74 2 0.68 3 12.57 0.24 40 1401 408	WAVERLY	94	59	76	1	0.21	1	10.68	-1.15	31	1552	357
HANNIBAL LOCKS AND DAM 89 58 73 1 0.91 2 13.07 1.14 40 1282 265 LOGAN 89 58 74 2 0.68 3 12.57 0.24 40 1401 408	Southeast							<u> </u>				
LOGAN 89 58 74 2 0.68 3 12.57 0.24 40 1401 408	BEVERLY STP	87	58	73	0	0.00	0	8.94	-3.02	38	1344	211
	HANNIBAL LOCKS AND DAM	89	58	73	1	0.91	2	13.07	1.14	40	1282	265
ZANESVILLE MUNICIPAL AP 90 59 74 2 0.53 4 10.28 -1.39 38 1473 420	LOGAN	89	58	74	2	0.68	3	12.57	0.24	40	1401	408
	ZANESVILLE MUNICIPAL AP	90	59	74	2	0.53	4	10.28	-1.39	38	1473	420

Note:

Summary based on NOAA Regional Climate Centers (RCCs) data. Climate normals used are for the 1991-2020 period. Precipitation (rain or melted snow/ice) in inches. Air temperature in degrees Fahrenheit.