

OH-CW2824



Ohio Crop Weather

Wheat Harvest Nearly Complete

Wheat harvest was nearly complete in Ohio according to Ben Torrance, State Statistician, USDA NASS, Ohio Field Office. Topsoil moisture conditions were rated 5 percent very short, 27 percent short, 56 percent adequate, and 12 percent surplus. Statewide, the average temperature for the week ending on July 14 was 75.7 degrees, 2.3 degrees above normal. Weather stations recorded an average of 0.75 inches of precipitation, 0.26 inches above average. There were 4.9 days suitable for fieldwork during the week ending July 14.

Farmers reported continued dry conditions across the Southeast and South-Central parts of the State. Corn condition was rated 67 percent good to excellent while soybean condition was rated 64 percent good to excellent, each down from the previous week. Winter wheat was 97 percent harvested. Oat progress advanced 89 percent headed and 35 percent mature. Crop condition for oats was rated 83 percent good to excellent, up slightly from the previous week. Second cuttings of alfalfa and other dry hay were 68 percent and 51 percent completed, respectively. Pasture and range condition was rated 43 percent good to excellent. Farmers continued straw baling, manure spreading, and planting double crop soybeans.




| Item | Very short | Short | Adequate | Surplus |
|--------------------------------------|---------------|-----------|-----------|-----------|
| | (percent) | (percent) | (percent) | (percent) |
| Topsoil moisture Subsoil moisture | 5 5 | 27 35 | 56 56 | 12 4 |


Crop Progress: Week Ending 07/14/24


| 1 8 8 | | | | | | | | |
|-----------------------------|-------------------|------|------|---------|--|--|--|--|
| | Percent Completed | | | | | | | |
| Crop/Activity | This | Last | Last | 5 Year | | | | |
| | week | week | year | average | | | | |
| Days Suitable for Fieldwork | 4.9 | 5.2 | NA | NA | | | | |
| Corn Silking | 34 | 15 | 12 | 15 | | | | |
| Corn Dough | 1 | 0 | 0 | 0 | | | | |
| Soybeans Blooming | 40 | 24 | 18 | 35 | | | | |
| Soybeans Setting Pods | 16 | 9 | 5 | 6 | | | | |
| Winter Wheat Harvested | 97 | 88 | 70 | 77 | | | | |
| Alfalfa Hay 2nd Cutting | 68 | 55 | 64 | 61 | | | | |
| Other Hay 2nd Cutting | 51 | 40 | 41 | 41 | | | | |
| Oats Headed | 89 | 84 | 93 | 94 | | | | |
| Oats Mature | 35 | 3 | 0 | 0 | | | | |
| Oats Harvested | 1 | NA | 2 | 14 | | | | |

Crop Condition: Week Ending 07/14/24

| Crop Co | nuition. | W CCK E | mumg v | //17/27 | |
|-------------------|--------------|-----------|-----------|-----------|-----------|
| Crop | Very poor | Poor | Fair | Good | Excellent |
| | (percent) | (percent) | (percent) | (percent) | (percent) |
| Corn | 1 | 5 | 27 | 55 | 12 |
| Soybeans | 1 | 7 | 28 | 53 | 11 |
| Oats | 0 | 0 | 17 | 75 | 8 |
| Pasture and Range | 1 | 10 | 46 | 40 | 3 |







3001 Coolidge Road Suite 400 · East Lansing, MI 48823 (517) 324-5300 · (855) 270-2709 FAX · www.nass.usda.gov

| Property Property | | Week Ending 2024-07-14 | | | | | | Since April 1 | | | | |
|--|---------------------------|------------------------|-------------|-----|-----|--------|---------|---------------|-------|------|-------|------|
| BRYAN 2 SE | | Т | Temperature | | | Precip | itation | Precipitation | | | | |
| BRYAN 2 SE | | High | Low | Avg | DFN | Total | Days | Total | DFN | Days | Total | DFN |
| TOLEDO EXPRESS AP | Northwest | _ | | | | | | | | | | |
| VAN WERT I S 90 60 76 2 0.93 2 14.77 0.63 24 1763 327 | BRYAN 2 SE | 90 | 57 | 74 | 0 | 2.08 | 4 | 14.68 | 1.55 | 48 | 1585 | 271 |
| North Central BUCYRUS | TOLEDO EXPRESS AP | 89 | 61 | 75 | 1 | 2.41 | 4 | 19.50 | 7.76 | 49 | 1673 | 337 |
| BUCYRUS FREMONT 91 63 73 1 1.05 2 14.91 0.65 47 1633 372 FREMONT 91 63 76 2 1.18 1 13.53 0.53 48 1580 225 MANSFIELD LAHM RGNL AP 90 61 76 4 0.43 2 11.40 4.09 41 1653 425 Northeast CHARDON 86 57 71 2 0.86 2 13.26 -1.60 47 1305 280 CLEVELAND-HOPKINS INTL AP 89 63 76 3 0.61 3 9.80 -2.30 39 1715 378 WARREN 3 S 89 58 73 2 0.14 2 14.58 1.08 41 1335 245 West Central BELLEFONTAINE 86 57 74 1 0.98 3 16.05 1.90 48 1625 268 GREENVILLE WATER PLANT 86 61 73 0 3.23 1 16.96 2.63 41 1626 250 SIDNEY 1 S 88 56 74 1 1.49 3 14.68 0.34 47 1548 216 Central CENTERBURG 2 SE 89 57 74 1 0.46 2 16.15 1.30 47 1684 329 CIRCLEVILLE 92 61 77 2 0.10 2 10.69 -3.25 43 1821 329 MARYSVILLE 88 59 74 0 0.37 2 14.20 0.03 41 1706 216 East Central DENNISON WATER WORKS 93 61 76 3 0.00 1 1 19.9 -2.04 40 1402 43 STEUBENVILLE 93 61 76 3 0.02 1 11.99 -2.04 40 1402 43 SOUTH POINT BAYON WRIGHT BROTHERS AP 89 70 74 -1 3.73 4 19.06 3.84 41 643 203 FRANKLIN 89 NA NA NA NA 1.38 3 11.07 -3.41 43 642 -852 SOUTH POINT WAVERLY 94 65 80 3 0.00 0 14.28 -1.10 36 1953 291 WAVERLY 95 80 40 76 4 0.02 1 19.9 -1.24 41 1756 287 WAVERLY SOUTH POINT 94 65 80 3 0.01 1 1 9.81 -4.22 41 1756 287 WAVERLY 94 60 76 4 0.02 1 11.99 -1.24 41 1756 287 HANNIBAL LOCKS AND DAM 94 60 76 4 0.02 1 19.81 -4.22 41 1756 287 | VAN WERT 1 S | 90 | 60 | 76 | 2 | 0.93 | 2 | 14.77 | 0.63 | 42 | 1763 | 327 |
| FREMONT 90 63 76 2 1.18 1 1 3.53 0.53 48 1580 225 MANSFIELD LAHM RGNL AP 90 61 76 4 0.43 2 11.40 -4.09 41 1653 425 Northeast CHARDON 86 57 71 2 0.86 2 13.26 -1.60 47 1305 280 CLEVELAND-HOPKINS INTL AP 89 63 76 3 0.61 3 9.80 -2.30 39 1715 378 WARREN 3 S 89 58 73 2 0.14 2 14.58 1.08 41 1335 245 West Central BELLEFONTAINE 86 61 73 0 3.23 1 16.95 1.90 48 1625 268 GREENVILLE WATER PLANT 86 61 73 0 3.23 1 16.96 2.63 41 1626 250 SIDNEY I S 88 56 74 1 1.49 3 14.68 0.34 47 1548 216 Entral CENTERBURG 2 SE 89 57 74 1 0.46 2 16.15 1.30 47 1548 216 East Central CENTERBURG 2 SE 89 57 74 1 0.46 2 16.15 1.30 47 1684 329 CIRCLEVILLE 892 61 77 2 0.10 2 16.69 -3.25 43 1821 329 MARYSVILLE 88 59 74 0 0.37 2 14.20 0.03 41 1706 216 East Central DENNISON WATER WORKS 93 61 76 3 0.00 1 1 14.77 0.75 39 1605 343 STUBENVILLE 89 2 61 76 3 0.00 2 1 11.99 -2.04 40 1402 43 SOUTHWEST STUBENVILLE 89 2 74 -1 3.73 4 1 19.06 3.78 44 1643 203 STUBENVILLE 89 2 74 -1 3.73 4 1 19.06 3.78 44 1643 203 FRANKLIN 89 NA | North Central | | | | | | | • | | | | |
| MANSFIELD LAHM RGNL AP 90 61 76 4 0.43 2 11.40 4.09 41 1653 425 Northeast | BUCYRUS | 89 | 53 | 73 | 1 | 1.05 | 2 | 14.91 | 0.65 | 47 | 1633 | 372 |
| Northeast | FREMONT | 91 | 63 | 76 | 2 | 1.18 | 1 | 13.53 | 0.53 | 48 | 1580 | 225 |
| CHARDON | MANSFIELD LAHM RGNL AP | 90 | 61 | 76 | 4 | 0.43 | 2 | 11.40 | -4.09 | 41 | 1653 | 425 |
| CLEVELAND-HOPKINS INTL AP 89 63 76 3 0.61 3 9.80 -2.30 39 1715 378 WARREN 3 S 89 58 73 2 0.14 2 14.58 1.08 41 1335 245 | Northeast | | | | | | | • | | | | |
| WARREN 3 S | CHARDON | 86 | 57 | 71 | 2 | 0.86 | 2 | 13.26 | -1.60 | 47 | 1305 | 280 |
| BELLEFONTAINE | CLEVELAND-HOPKINS INTL AP | 89 | 63 | 76 | 3 | 0.61 | 3 | 9.80 | -2.30 | 39 | 1715 | 378 |
| BELLEFONTAINE GREENVILLE WATER PLANT 86 61 73 0 3.23 1 16.96 2.63 41 1626 250 SIDNEY 1 S 88 56 74 1 1.49 3 14.68 0.34 47 1548 216 Central CENTERBURG 2 SE 89 57 74 1 0.46 2 16.15 1.30 47 1684 329 CIRCLEVILLE 92 61 77 2 0.10 2 10.69 -3.25 43 1821 329 MARYSVILLE 88 59 74 0 0.37 2 14.20 0.03 41 1706 216 East Central DENNISON WATER WORKS 93 61 76 3 0.06 1 11.99 -2.04 40 1402 43 STEUBENVILLE 93 61 76 3 0.02 1 11.99 -2.04 40 1402 43 Southwest DAYTON WRIGHT BROTHERS AP 89 62 77 2 1.65 4 9.75 -4.57 45 1915 412 EATON 87 59 74 -1 3.73 4 19.06 3.78 44 1643 203 FRANKLIN 89 NA NA NA 1.38 3 11.07 -3.41 43 642 -852 South Central HILLSBORO 91 60 76 2 0.09 2 14.55 0.02 48 1734 315 PORTSMOUTH-SCIOTOVILLE 94 62 77 1 0.11 1 14.01 0.02 45 1878 238 SOUTH POINT 94 65 80 3 0.00 0 14.28 -1.10 36 1953 291 WAVERLY 94 62 77 2 0.25 1 11.91 -1.84 34 1904 359 Southeast BEVERLY STP 93 61 77 3 0.01 1 9.81 -4.22 41 1756 287 HANNIBAL LOCKS AND DAM 94 60 76 4 0.02 1 13.33 -0.59 44 1602 267 | WARREN 3 S | 89 | 58 | 73 | 2 | 0.14 | 2 | 14.58 | 1.08 | 41 | 1335 | 245 |
| GREENVILLE WATER PLANT SIDNEY I S 86 61 73 0 3.23 1 16.96 2.63 41 1626 250 SIDNEY I S R8 56 74 1 1.49 3 14.68 0.34 47 1548 216 CENTERBURG 2 SE CIRCLEVILLE SE 89 57 74 1 0.46 2 16.15 1.30 47 1684 329 CIRCLEVILLE SE 88 59 74 0 0.37 2 14.20 0.03 41 1706 216 East Central DENNISON WATER WORKS STEUBENVILLE SE 93 61 76 3 0.06 1 14.77 0.75 39 1605 343 STEUBENVILLE SE 93 61 76 3 0.06 1 11.99 -2.04 40 1402 43 SOUTHWEST DAYTON WRIGHT BROTHERS AP SE 9 74 -1 3.73 4 19.06 3.78 44 1643 203 FRANKLIN SE 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0 | West Central | | | | | | | • | | | | |
| SIDNEY I S 88 56 74 1 1.49 3 14.68 0.34 47 1548 216 | BELLEFONTAINE | 86 | 57 | 74 | 1 | 0.98 | 3 | 16.05 | 1.90 | 48 | 1625 | 268 |
| CENTERBURG 2 SE | GREENVILLE WATER PLANT | 86 | 61 | 73 | 0 | 3.23 | 1 | 16.96 | 2.63 | 41 | 1626 | 250 |
| CENTERBURG 2 SE | SIDNEY 1 S | 88 | 56 | 74 | 1 | 1.49 | 3 | 14.68 | 0.34 | 47 | 1548 | 216 |
| CIRCLEVILLE MARYSVILLE 88 59 74 0 0.37 2 10.69 -3.25 43 1821 329 MARYSVILLE East Central DENNISON WATER WORKS 93 61 76 3 0.06 1 14.77 0.75 39 1605 343 STEUBENVILLE 93 61 76 3 0.02 1 11.99 -2.04 40 1402 43 Southwest DAYTON WRIGHT BROTHERS AP EATON 87 59 74 -1 3.73 4 19.06 3.78 44 1643 203 FRANKLIN 89 NA NA NA NA 1.38 3 11.07 -3.41 43 642 -852 South Central HILLSBORO 91 60 76 2 0.09 2 14.55 0.02 48 1734 315 PORTSMOUTH-SCIOTOVILLE 94 62 77 1 0.11 1 14.01 0.02 45 1878 238 SOUTH POINT 94 65 80 3 0.00 0 14.28 -1.10 36 1953 291 WAVERLY 94 62 77 2 0.25 1 11.91 -1.84 34 1904 359 Southeast BEVERLY STP 93 61 77 3 0.01 1 9.81 -4.22 41 1756 287 HANNIBAL LOCKS AND DAM 94 60 76 4 0.02 1 13.33 -0.59 44 1602 267 | Central | | | | | | | • | | | | |
| MARYSVILLE 88 59 74 0 0.37 2 14.20 0.03 41 1706 216 East Central DENNISON WATER WORKS 93 61 76 3 0.06 1 14.77 0.75 39 1605 343 STEUBENVILLE 93 61 76 3 0.02 1 11.99 -2.04 40 1402 43 Southwest DAYTON WRIGHT BROTHERS AP 89 62 77 2 1.65 4 9.75 -4.57 45 1915 412 EATON 87 59 74 -1 3.73 4 19.06 3.78 44 1643 203 FRANKLIN 89 NA NA NA 1.38 3 11.07 -3.41 43 642 -852 South Central HILLSBORO 91 60 76 2 0.09 2 14.55 0.02 | CENTERBURG 2 SE | 89 | 57 | 74 | 1 | 0.46 | 2 | 16.15 | 1.30 | 47 | 1684 | 329 |
| DENNISON WATER WORKS 93 61 76 3 0.06 1 14.77 0.75 39 1605 343 35 35 35 361 76 3 0.02 1 11.99 -2.04 40 1402 43 35 35 35 35 35 35 35 | CIRCLEVILLE | 92 | 61 | 77 | 2 | 0.10 | 2 | 10.69 | -3.25 | 43 | 1821 | 329 |
| DENNISON WATER WORKS 93 61 76 3 0.06 1 14.77 0.75 39 1605 343 343 344 345 34 | MARYSVILLE | 88 | 59 | 74 | 0 | 0.37 | 2 | 14.20 | 0.03 | 41 | 1706 | 216 |
| STEUBENVILLE 93 61 76 3 0.02 1 11.99 -2.04 40 1402 43 | East Central | | | | | | | • | | | | |
| DAYTON WRIGHT BROTHERS AP 89 62 77 2 1.65 4 9.75 -4.57 45 1915 412 | DENNISON WATER WORKS | 93 | 61 | 76 | 3 | 0.06 | 1 | 14.77 | 0.75 | 39 | 1605 | 343 |
| DAYTON WRIGHT BROTHERS AP EATON 89 62 77 2 1.65 4 9.75 -4.57 45 1915 412 EATON FRANKLIN 89 NA NA NA 1.38 3 11.07 -3.41 43 642 -852 South Central HILLSBORO PORTSMOUTH-SCIOTOVILLE 94 62 77 1 0.11 1 14.01 0.02 45 1878 238 SOUTH POINT 94 65 80 3 0.00 0 14.28 -1.10 36 1953 291 WAVERLY BEVERLY STP HANNIBAL LOCKS AND DAM 94 60 76 4 0.02 1 13.33 -0.59 44 1602 267 | STEUBENVILLE | 93 | 61 | 76 | 3 | 0.02 | 1 | 11.99 | -2.04 | 40 | 1402 | 43 |
| EATON 87 59 74 -1 3.73 4 19.06 3.78 44 1643 203 FRANKLIN 89 NA NA NA NA 1.38 3 11.07 -3.41 43 642 -852 South Central HILLSBORO 91 60 76 2 0.09 2 14.55 0.02 48 1734 315 PORTSMOUTH-SCIOTOVILLE 94 62 77 1 0.11 1 14.01 0.02 45 1878 238 SOUTH POINT 94 65 80 3 0.00 0 14.28 -1.10 36 1953 291 WAVERLY 94 62 77 2 0.25 1 11.91 -1.84 34 1904 359 Southeast BEVERLY STP 93 61 77 3 0.01 1 9.81 -4.22 41 1756 287 HANNIBAL LOCKS AND DAM 94 60 76 4 0.02 1 13.33 -0.59 44 1602 267 | Southwest | | | | | | | • | | | | |
| FRANKLIN 89 NA NA NA 1.38 3 11.07 -3.41 43 642 -852 South Central | DAYTON WRIGHT BROTHERS AP | 89 | 62 | 77 | 2 | 1.65 | 4 | 9.75 | -4.57 | 45 | 1915 | 412 |
| South Central HILLSBORO 91 60 76 2 0.09 2 14.55 0.02 48 1734 315 PORTSMOUTH-SCIOTOVILLE 94 62 77 1 0.11 1 14.01 0.02 45 1878 238 SOUTH POINT 94 65 80 3 0.00 0 14.28 -1.10 36 1953 291 WAVERLY 94 62 77 2 0.25 1 11.91 -1.84 34 1904 359 Southeast BEVERLY STP 93 61 77 3 0.01 1 9.81 -4.22 41 1756 287 HANNIBAL LOCKS AND DAM 94 60 76 4 0.02 1 13.33 -0.59 44 1602 267 | EATON | 87 | 59 | 74 | -1 | 3.73 | 4 | 19.06 | 3.78 | 44 | 1643 | 203 |
| HILLSBORO 91 60 76 2 0.09 2 14.55 0.02 48 1734 315 PORTSMOUTH-SCIOTOVILLE 94 62 77 1 0.11 1 14.01 0.02 45 1878 238 SOUTH POINT 94 65 80 3 0.00 0 14.28 -1.10 36 1953 291 WAVERLY 94 62 77 2 0.25 1 11.91 -1.84 34 1904 359 Southeast BEVERLY STP 93 61 77 3 0.01 1 9.81 -4.22 41 1756 287 HANNIBAL LOCKS AND DAM 94 60 76 4 0.02 1 13.33 -0.59 44 1602 267 | FRANKLIN | 89 | NA | NA | NA | 1.38 | 3 | 11.07 | -3.41 | 43 | 642 | -852 |
| PORTSMOUTH-SCIOTOVILLE 94 62 77 1 0.11 1 14.01 0.02 45 1878 238 SOUTH POINT 94 65 80 3 0.00 0 14.28 -1.10 36 1953 291 WAVERLY 94 62 77 2 0.25 1 11.91 -1.84 34 1904 359 Southeast BEVERLY STP 93 61 77 3 0.01 1 9.81 -4.22 41 1756 287 HANNIBAL LOCKS AND DAM 94 60 76 4 0.02 1 13.33 -0.59 44 1602 267 | South Central | | | | | | | • | | | | |
| SOUTH POINT 94 65 80 3 0.00 0 14.28 -1.10 36 1953 291 WAVERLY 94 62 77 2 0.25 1 11.91 -1.84 34 1904 359 Southeast BEVERLY STP 93 61 77 3 0.01 1 9.81 -4.22 41 1756 287 HANNIBAL LOCKS AND DAM 94 60 76 4 0.02 1 13.33 -0.59 44 1602 267 | HILLSBORO | 91 | 60 | 76 | 2 | 0.09 | 2 | 14.55 | 0.02 | 48 | 1734 | 315 |
| WAVERLY 94 62 77 2 0.25 1 11.91 -1.84 34 1904 359 Southeast BEVERLY STP 93 61 77 3 0.01 1 9.81 -4.22 41 1756 287 HANNIBAL LOCKS AND DAM 94 60 76 4 0.02 1 13.33 -0.59 44 1602 267 | PORTSMOUTH-SCIOTOVILLE | 94 | 62 | 77 | 1 | 0.11 | 1 | 14.01 | 0.02 | 45 | 1878 | 238 |
| Southeast BEVERLY STP 93 61 77 3 0.01 1 9.81 -4.22 41 1756 287 HANNIBAL LOCKS AND DAM 94 60 76 4 0.02 1 13.33 -0.59 44 1602 267 | SOUTH POINT | 94 | 65 | 80 | 3 | 0.00 | 0 | 14.28 | -1.10 | 36 | 1953 | 291 |
| BEVERLY STP 93 61 77 3 0.01 1 9.81 -4.22 41 1756 287 HANNIBAL LOCKS AND DAM 94 60 76 4 0.02 1 13.33 -0.59 44 1602 267 | WAVERLY | 94 | 62 | 77 | 2 | 0.25 | 1 | 11.91 | -1.84 | 34 | 1904 | 359 |
| HANNIBAL LOCKS AND DAM 94 60 76 4 0.02 1 13.33 -0.59 44 1602 267 | Southeast | | | | | | | · | | | | |
| | BEVERLY STP | 93 | 61 | 77 | 3 | 0.01 | 1 | 9.81 | -4.22 | 41 | 1756 | 287 |
| LOGAN 94 59 75 3 0.05 1 13.32 -0.96 44 1744 443 | HANNIBAL LOCKS AND DAM | 94 | 60 | 76 | 4 | 0.02 | 1 | 13.33 | -0.59 | 44 | 1602 | 267 |
| | LOGAN | 94 | 59 | 75 | 3 | 0.05 | 1 | 13.32 | -0.96 | 44 | 1744 | 443 |

95 61 77

0.22

2

4

11.22 -2.35 42 1843 469

Note:

Summary based on NOAA Regional Climate Centers (RCCs) data. Climate normals used are for the 1991-2020 period. Precipitation (rain or melted snow/ice) in inches. Air

ZANESVILLE MUNICIPAL AP

temperature in degrees Fahrenheit.