



## Oklahoma Crop Progress and Condition

Oklahoma Field Office

Cooperating with the Oklahoma Department of Agriculture, Food and Forestry

P.O. Box 528804 · Oklahoma City, OK 73152-8804

(405) 522-6190 · FAX (405) 522-5429 · [www.nass.usda.gov/ok](http://www.nass.usda.gov/ok)

*A combined contribution with Cooperative Extension Service, USDA Farm Service Agency and Oklahoma Mesonet*

**Volume 45, Number 42      Weekly Summary for November 21 – November 27      Issued November 29, 2022**

Note: This is the final weekly Crop Progress and Condition report for the 2022 season.

Rainfall totals in Oklahoma averaged 1.28 inches. According to the November 22<sup>nd</sup> US Drought Monitor Report, drought conditions were rated 100 percent abnormally dry to exceptional drought, unchanged from the previous week. Additionally, 98 percent of the state was in the moderate drought to exceptional drought categories, unchanged from the previous week. Statewide, temperatures averaged in the upper 40's. Topsoil moisture conditions were rated mostly adequate to short, while subsoil moisture conditions were rated short to very short. There were 4.7 days suitable for fieldwork.

**Small Grains:** Winter wheat emerged reached 95 percent, unchanged from the previous year but up 1 point from normal. Canola emerged reached 88 percent, down 1 point from the previous year but up 1 point from normal. Rye emerged reached 95 percent, up 1 point from the previous year and up 2 points from normal. Oats planted reached 80 percent, up 8 points from the previous year and up 12 points from normal. Oats emerged reached 52 percent, up 2 points from the previous year and up 5 points from normal.

**Row Crops:** Soybeans harvested reached 90 percent, up 4 points from the previous year and up 9 points from normal. Cotton harvested reached 84 percent, up 1 point from the previous year and up 7 points from normal.

**Hay:** The fifth cutting of alfalfa hay reached 70 percent, up 14 points from the previous year and up 5 points from the previous week. The fourth cutting of other hay reached 65 percent, up 17 points from the previous year and up 5 points from the previous week.

**Pasture and Livestock:** Pasture and range condition was rated at 57 percent very poor to poor. Livestock condition was rated at 80 percent fair to good.

-over-

### Soil Moisture Conditions by Percent

For Week Ending November 27, 2022

Moisture Rating	Current Week	Previous Week	One Year Ago
<b>Topsoil</b>			
Very Short	27	34	20
Short	30	33	39
Adequate	42	33	40
Surplus	1	0	1
<b>Subsoil</b>			
Very Short	31	40	15
Short	40	36	43
Adequate	29	24	41
Surplus	0	0	1

### Crop and Livestock Conditions by Percent

For Week Ending November 27, 2022

Commodity	Very Poor	Poor	Fair	Good	Excellent
Wheat	12	12	45	30	1
Cotton	48	16	31	5	0
Soybeans	19	18	44	19	0
Livestock	1	19	56	24	0
Pasture and Range	29	28	27	16	0

### Crop Progress by Percent

For Week Ending November 27, 2022

Crop	Stage	Current Week	Previous Week	One Year Ago	Five Year Average
<b>Wheat</b>	Emerged	95	90	95	94
<b>Canola</b>	Emerged	88	78	89	87
<b>Rye</b>	Emerged	95	90	94	93
<b>Oats</b>	Planted	80	72	72	68
	Emerged	52	42	50	47
<b>Soybeans</b>	Harvested	90	82	86	81
<b>Cotton</b>	Harvested	84	75	83	77
<b>Alfalfa Hay</b>	Fifth Cutting	70	65	56	36
<b>Other Hay</b>	Fourth Cutting	65	60	48	48

**Weather for Week Ending:** Temperatures ranged from 11 degrees at Kenton on Monday, November 21<sup>st</sup> to 68 degrees at Beaver on Wednesday, November 23<sup>rd</sup>. Precipitation ranged from 0.22 of an inch in the Panhandle district to 2.64 inches in the Southeast district. Soil temperature averages ranged from 35 degrees at Goodwell on Monday, November 21<sup>st</sup>, to 55 degrees at Hugo on Sunday, November 27<sup>th</sup>.

**Mesonet Temperature and Precipitation Data**

For Week Ending November 27, 2022

Districts	Temperature			Precipitation			
	High	Low	Average	Current Week	March 1, 2022 to November 27, 2022		
					Total	Departure from Normal	Percent of Normal
	<i>degrees</i>			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>percent</i>
Panhandle	54	27	40	0.22	1.30	-2.91	31
North Central	55	32	44	0.64	3.37	-4.05	45
Northeast	56	35	45	1.10	6.35	-4.67	58
West Central	53	34	43	0.84	4.65	-2.34	67
Central	54	36	45	1.04	5.71	-4.05	59
East Central	55	38	47	2.11	9.40	-3.26	74
Southwest	54	36	45	1.18	6.89	-0.86	89
South Central	55	39	47	1.77	8.39	-2.43	78
Southeast	57	39	48	2.64	11.84	-1.61	88