



Texas Crop Progress and Condition

Southern Plains Regional Field Office
Post Office Box 70 Austin, Texas 78767
(800) 626-3142 · FAX (855) 270-2725 · www.nass.usda.gov/tx

Issue: TX-CW0325

Weekly Summary for January 27 - February 2

Released: February 3, 2025

Most of the state experience milder temperatures, with some rainfall. Rainfall ranged from trace amounts up to 6 inches, with the Blacklands and North East Texas districts receiving the most rain. Drought conditions ranged from none to exceptional drought with areas in the Trans-Pecos being the driest. There was an average of 5.6 days suitable for fieldwork.

Small Grains: Most parts of the state needed additional moisture to support the progress of small grains. In the Blacklands, some producers were noticing freeze damage.

Row Crops: In the Lower Valley and South Central Texas, producers were preparing fields for the planting of row crops.

Fruit, Vegetable, and Specialty Crops: In South Central Texas, producers were noticing some freeze damage to fruit trees. In the Trans-Pecos, producers were harvesting pecans. In the Lower Valley, producers were harvesting citrus and vegetables.

Range and Pasture: In South Central Texas, producers were baling cool season forage. In the Cross Timbers, some livestock were grazing wheat. Most producers continued supplemental feeding of livestock. Pasture and range conditions were rated at 71 percent, poor to fair.

**Crop Progress by Percent
For Week Ending February 2, 2025**

Stage	Percentage of Acreage			
	Current Week	Previous Week	Previous Year	5 Year Average
Winter Wheat Headed	(NA)	-	1	5
Oats Headed	(NA)	-	1	1

(NA) Not available.

- Represents zero.

**Crop Condition by Percent
For Week Ending February 2, 2025**

Crop	Percent of Acreage					Index ¹	
	Excellent	Good	Fair	Poor	Very Poor	2025	2024
Winter Wheat	8	29	34	24	5	62	68
Oats	1	15	33	23	28	42	45
Range and Pasture	1	8	26	45	20	36	39


¹ The formula for the condition index is $I = (110E + 90G + 60F + 25P + 5V)/100$ where I = crop condition index and E, G, F, P, V = percentage of crop rated excellent, good, fair, poor, very poor.

**Soil Moisture and Days Suitable by District
For Week Ending February 2, 2025**


District	Subsoil Moisture Condition by District				Topsoil Moisture Condition by District				Days Suitable for Fieldwork
	Percentage of Acreage				Percentage of Acreage				
	Very Short	Short	Adequate	Surplus	Very Short	Short	Adequate	Surplus	
11	3	25	71	1	3	23	74	0	5.4
12	53	32	14	1	53	30	15	2	7.0
21	14	71	15	0	23	63	14	0	6.3
22	7	82	11	0	44	56	0	0	7.0
30	4	41	55	0	2	44	54	0	5.6
40	14	17	35	34	7	7	36	50	3.5
51	0	17	70	13	0	10	69	21	5.4
52	2	16	44	38	1	11	43	45	4.8
60	0	100	0	0	0	100	0	0	3.4
70	21	43	36	0	16	53	31	0	6.2
81	15	44	40	1	3	49	46	2	5.8
82	90	10	0	0	10	90	0	0	7.0
90	0	2	51	47	0	2	51	47	3.2
96	29	49	22	0	20	38	42	0	5.0
97	14	47	39	0	15	43	42	0	5.4
State	19	35	38	8	18	33	38	11	5.6

Texas Agricultural Districts

- 11 Northern High Plains
- 12 Southern High Plains
- 21 Northern Low Plains
- 22 Southern Low Plains
- 30 Cross Timbers
- 40 Blacklands
- 51 North East
- 52 South East
- 60 Trans-Pecos
- 70 Edwards Plateau
- 81 South Central
- 82 Coastal Bend
- 90 Upper Coast
- 96 South
- 97 Lower Valley




Seven Day Observed Regional Precipitation, February 2, 2025



Source: National Weather Service, www.nws.noaa.gov

Drought Monitor, Map Released: January 30, 2025



Source: National Drought Mitigation Center, a partnership with USDA, U.S. Department of Commerce/NOAA, <http://droughtmonitor.unl.edu>