

PRESS RELEASE



NATIONAL AGRICULTURAL STATISTICS SERVICE

United States Department of Agriculture • Washington, DC 20250 Northwest Regional Field Office • Olympia, WA 98507 Ag Statistics Hotline: 1-800-727-9540 • www.nass.usda.gov

Posted online August 1, 2024

Regional Contacts

Phone: 1-800-435-5883 Email: nassrfonwr@usda.gov

- Washington Dennis Koong, Regional Director
- Idaho Ben Johnson, State Statistician
- Oregon Dave Losh, State Statistician
- Alaska Andrew Brosier, State Statistician

January 1 Honey Bee Colonies Down 1 Percent for Operations with Five or More Colonies

Honey bee colonies for operations with five or more colonies in the United States on January 1, 2024 totaled 2.71 million colonies, down 1 percent from January 1, 2023. The number of colonies in the United States on April 1, 2024, was 2.71 million colonies. During 2023, honey bee colonies on January 1, April 1, July 1, and October 1 were 2.73 million, 2.71 million, 2.92 million, and 2.82 million colonies, respectively.

Honey bee colonies lost for operations with five or more colonies from January through March 2024, was 396,820 colonies, or 15 percent. The number of colonies lost during the quarter of April through June 2024, was 288,190 colonies, or 11 percent. During the quarter of April through June 2023, colonies lost totaled 378,190 colonies, or 14 percent, the highest number lost of any quarter surveyed in 2023. The quarter surveyed in 2023 with the lowest number of colonies lost was October through December, with 254,520 colonies lost, or 9 percent.

Honey bee colonies added for operations with five or more colonies from January through March 2024 was 404,100 colonies. The number of colonies added during the quarter of April through June 2024 was 617,420. During the quarter of April through June 2023, the number of colonies added were 618,350 colonies, the highest number of honey bee colonies added for any quarter surveyed in 2023. The quarter of October through December 2023 added 118,840 colonies, the least number of honey bee colonies added for any quarter surveyed in 2023.

Honey bee colonies renovated for operations with five or more colonies from January through March 2024 was 215,070 colonies, or 8 percent. During the quarter of April through June 2024, the number of colonies renovated were 521,790 colonies, or 19 percent. The quarter surveyed in 2023 with the highest number of colonies renovated was April through June 2023 with 485,640 colonies renovated, or 18 percent. The quarter surveyed in 2023 with the lowest number of colonies renovated was January through March 2023, with 113,440, or 4 percent. Renovated colonies are those that were requeened or received new honey bees through a nucleus (nuc) colony or package.

Varroa Mites Top Colony Stressor for Operations with Five or More Colonies

Varroa mites were the number one stressor for operations with five or more colonies during all quarters surveyed in 2023. The period with the highest percentage of colonies reported to be affected by varroa mites was April through June 2023 at 52.0 percent. The percent of colonies reported to be affected by varroa mites during January through March 2024 and April through June 2024 are 43.3 percent and 54.8 percent, respectively.

Number of Colonies, Maximum, Lost, Percent Lost, Added, Renovated, and Percent Renovated with Five or More Colonies—Idaho, Oregon, Washington, and United States: January 1, 2023 and January-March 2023

	January 1 number of colonies	January-March							
State		Maximum colonies 1	Lost colonies	Percent lost ²	Added colonies	Renovated colonies ³	Percent renovated ⁴		
	(number)	(number)	(number)	(percent)	(number)	(number)	(percent)		
Idaho Oregon Washington	165,000 77,000 65,000	167,000 97,000 99,000	12,500 8,000 13,500	7 8 14	4,000 1,500 270	8,000 500 250	5 1 (Z)		
United States	2,729,750	(X)	373,880	14	324,400	113,440	4		

(X) Not applicable.

- ¹ January 1 number of colonies plus all colonies moved into that state during the quarter.
- ² Percent lost is the number of lost colonies divided by maximum colonies except for the United States, where percent lost is the number of lost colonies divided by the January 1 number of colonies.
- ³ Defined as any surviving colony that was requeened or received new honey bees through nuc or package.
- ⁴ Percent renovated is the number of renovated colonies divided by maximum colonies except for the United States, where percent renovated is the number of renovated colonies divided by the January 1 number of colonies.

Number of Colonies, Maximum, Lost, Percent Lost, Added, Renovated, and Percent Renovated with Five or More Colonies—Idaho, Oregon, Washington, and United States: April 1, 2023 and April-June 2023

	April 1	April-June							
State	number of colonies	Maximum colonies 1	Lost colonies	Percent lost ²	Added colonies	Renovated colonies ³	Percent renovated ⁴		
	(number)	(number)	(number)	(percent)	(number)	(number)	(percent)		
Idaho Oregon Washington	82,000 91,000 87,000	132,000 95,000 123,000	7,000 23,000 4,400	5 24 4	22,000 29,000 18,500	11,000 31,000 15,500	8 33 13		
United States	2,706,270	(X)	378,190	14	618,350	485,640	18		

(X) Not applicable.

- April 1 number of colonies plus all colonies moved into that state during the quarter.
- ² Percent lost is the number of lost colonies divided by maximum colonies except for the United States, where percent lost is the number of lost colonies divided by the April 1 number of colonies.
- ³ Defined as any surviving colony that was requeened or received new honey bees through nuc or package.
- ⁴ Percent renovated is the number of renovated colonies divided by maximum colonies except for the United States, where percent renovated is the number of renovated colonies divided by the April 1 number of colonies.

Number of Colonies, Maximum, Lost, Percent Lost, Added, Renovated, and Percent Renovated with Five or More Colonies—Idaho, Oregon, Washington, and United States: July 1, 2023 and July-September 2023

	July 1	July-September							
State	number of colonies	Maximum colonies ¹	Lost colonies	Percent lost ²	Added colonies	Renovated colonies ³	Percent renovated ⁴		
	(number)	(number)	(number)	(percent)	(number)	(number)	(percent)		
Idaho Oregon Washington	125,000 101,000 67,000	154,000 112,000 82,000	8,000 11,500 2,400	5 10 3	1,800 5,000 1,900	11,000 28,000 3,300	7 25 4		
United States	2,923,860	(X)	281,720	10	147,310	209,200	7		

(X) Not applicable

- ¹ July 1 number of colonies plus all colonies moved into that state during the quarter.
- ² Percent lost is the number of lost colonies divided by maximum colonies except for the United States, where percent lost is the number of lost colonies divided by the July 1 number of colonies.
- ³ Defined as any surviving colony that was requeened or received new honey bees through nuc or package.
- ⁴ Percent renovated is the number of renovated colonies divided by maximum colonies except for the United States, where percent renovated is the number of renovated colonies divided by the July 1 number of colonies.

⁽Z) Less than half of the unit shown.

Number of Colonies, Maximum, Lost, Percent Lost, Added, Renovated, and Percent Renovated with Five or More Colonies—Idaho, Oregon, Washington, and United States: October 1, 2023 and October-December 2023

	October 1	October-December							
State	number of colonies	Maximum colonies ¹	Lost colonies	Percent lost ²	Added colonies	Renovated colonies ³	Percent renovated ⁴		
	(number)	(number)	(number)	(percent)	(number)	(number)	(percent)		
Idaho Oregon Washington	148,000 107,000 80,000	215,000 113,000 92,000	4,000 6,500 19,000	2 6 21	1,400 760 40	5,000 10,000 1,700	2 9 2		
United States	2,815,960	(X)	254,520	9	118,840	139,300	5		

(X) Not applicable.

- 1 October 1 number of colonies plus all colonies moved into that state during the guarter.
- ² Percent lost is the number of lost colonies divided by maximum colonies except for the United States, where percent lost is the number of lost colonies divided by the October 1 number of colonies.
- ³ Defined as any surviving colony that was requeened or received new honey bees through nuc or package.
- ⁴ Percent renovated is the number of renovated colonies divided by maximum colonies except for the United States, where percent renovated is the number of renovated colonies divided by the October 1 number of colonies.

Number of Colonies, Maximum, Lost, Percent Lost, Added, Renovated, and Percent Renovated with Five or More Colonies—Idaho, Oregon, Washington, and United States: January 1, 2024 and January-March 2024

-	January 1	January-March							
State	number of colonies	Maximum colonies 1	Lost colonies	Percent lost ²	Added colonies	Renovated colonies ³	Percent renovated ⁴		
	(number)	(number)	(number)	(percent)	(number)	(number)	(percent)		
Idaho Oregon Washington	195,000 90,000 45,000	195,000 101,000 107,000	23,000 8,000 6,500	12 8 6	4,200 1,300 3,500	760 5,500 570	(Z) 5 1		
United States	2,705,350	(X)	396,820	15	404,100	215,070	8		

(X) Not applicable.

- (Z) Less than half of the unit shown.
 - ¹ January 1 number of colonies plus all colonies moved into that state during the quarter.
 - ² Percent lost is the number of lost colonies divided by maximum colonies except for the United States, where percent lost is the number of lost colonies divided by the January 1 number of colonies.
 - ³ Defined as any surviving colony that was requeened or received new honey bees through nuc or package.
 - ⁴ Percent renovated is the number of renovated colonies divided by maximum colonies except for the United States, where percent renovated is the number of renovated colonies divided by the January 1 number of colonies.

Number of Colonies, Maximum, Lost, Percent Lost, Added, Renovated, and Percent Renovated with Five or More Colonies—Idaho, Oregon, Washington, and United States: April 1, 2024 and April-June 2024

	April 1	April-June April-June							
State	number of colonies	Maximum colonies 1	Lost colonies	Percent lost ²	Added colonies	Renovated colonies ³	Percent renovated ⁴		
	(number)	(number)	(number)	(percent)	(number)	(number)	(percent)		
Idaho Oregon Washington	112,000 95,000 106,000	130,000 105,000 128,000	8,000 9,000 35,000	6 9 27	26,000 21,000 20,000	29,000 13,500 24,000	22 13 19		
United States	2,709,370	(X)	288,190	11	617,420	521,790	19		

(X) Not applicable

- ¹ April 1 number of colonies plus all colonies moved into that state during the quarter.
- ² Percent lost is the number of lost colonies divided by maximum colonies except for the United States, where percent lost is the number of lost colonies divided by the April 1 number of colonies.
- ³ Defined as any surviving colony that was requeened or received new honey bees through nuc or package.
- ⁴ Percent renovated is the number of renovated colonies divided by maximum colonies except for the United States, where percent renovated is the number of renovated colonies divided by the April 1 number of colonies.

Colony Health Stressors with Five or More Colonies—Idaho, Oregon, Washington, and United States: January-March 2023

[Percent of colonies affected by stressors anytime during the quarter. A colony may be affected by multiple stressors during the quarter]

State	Varroa mites	Other pests and parasites ¹	Diseases ²	Pesticides	Other ³	Unknown
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
Idaho Oregon Washington	28.7	2.8 13.1 2.4	(Z) 6.0 2.3	5.3 (Z) 2.5	1.2 11.4 6.4	6.0 2.0 4.5
United States	39.9	13.4	7.3	9.9	14.7	11.1

⁽Z) Less than half of the unit shown.

Colony Health Stressors with Five or More Colonies—Idaho, Oregon, Washington, and United States: April-June 2023

[Percent of colonies affected by stressors anytime during the quarter. A colony may be affected by multiple stressors during the quarter]

State	Varroa mites	Other pests and parasites ¹	Diseases ²	Pesticides	Other ³	Unknown
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
Idaho Oregon Washington	27.9	6.7 9.3 1.0	5.9 3.5 6.1	5.7 14.3 9.2	1.3 4.3 4.3	1.4 (Z) (Z)
United States	52.0	14.3	6.6	10.5	13.8	6.1

⁽Z) Less than half of the unit shown.

Tracheal mites, nosema, hive beetle, wax moths, etc.

² Includes American and European foulbrood, chalkbrood, stonebrood, paralysis (acute and chronic), kashmir, deformed wing, sacbrood, IAPV, Lake Sinai II. etc.

³ Includes weather, starvation, insufficient forage, queen failure, hive damage/destroyed, etc.

Tracheal mites, nosema, hive beetle, wax moths, etc.

² Includes American and European foulbrood, chalkbrood, stonebrood, paralysis (acute and chronic), kashmir, deformed wing, sacbrood, IAPV, Lake Sinai II, etc.

³ Includes weather, starvation, insufficient forage, queen failure, hive damage/destroyed, etc.

Colony Health Stressors with Five or More Colonies—Idaho, Oregon, Washington, and United States: July-September 2023

[Percent of colonies affected by stressors anytime during the quarter. A colony may be affected by multiple stressors during the quarter]

State	Varroa mites	Other pests and parasites ¹	Diseases ²	Pesticides	Other ³	Unknown
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
Idaho Oregon Washington	64.0	3.1 21.2 1.9	4.4 26.6 1.4	1.7 24.2 4.7	1.8 26.4 (Z)	1.7 1.2 0.9
United States	32.5	7.6	4.0	7.7	6.8	3.5

⁽Z) Less than half of the unit shown.

Colony Health Stressors with Five or More Colonies—Idaho, Oregon, Washington, and United States: October-December 2023

[Percent of colonies affected by stressors anytime during the quarter. A colony may be affected by multiple stressors during the quarter]

State	Varroa mites	Other pests and parasites ¹	Diseases ²	Pesticides	Other ³	Unknown
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
Idaho Oregon Washington	51.1	1.0 2.5 1.2	10.2 3.0 6.9	8.3 0.5 0.9	0.8 0.7 8.9	1.2 1.4 24.2
United States	46.5	11.1	4.1	10.2	9.3	5.9

¹ Tracheal mites, nosema, hive beetle, wax moths, etc.

¹ Tracheal mites, nosema, hive beetle, wax moths, etc.

² Includes American and European foulbrood, chalkbrood, stonebrood, paralysis (acute and chronic), kashmir, deformed wing, sacbrood, IAPV, Lake Sinai II. etc.

³ Includes weather, starvation, insufficient forage, queen failure, hive damage/destroyed, etc.

² Includes American and European foulbrood, chalkbrood, stonebrood, paralysis (acute and chronic), kashmir, deformed wing, sacbrood, IAPV, Lake Sinai II. etc.

³ Includes weather, starvation, insufficient forage, queen failure, hive damage/destroyed, etc.

Colony Health Stressors with Five or More Colonies—Idaho, Oregon, Washington, and United States: January-March 2024

[Percent of colonies affected by stressors anytime during the quarter. A colony may be affected by multiple stressors during the quarter]

State	Varroa mites	Other pests and parasites ¹	Diseases ²	Pesticides	Other ³	Unknown
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
Idaho Oregon Washington	24.3	5.4 1.5	6.0 22.6 (Z)	22.3	5.7 2.8	1.0 (Z) 8.8
United States	43.3	15.0	10.9	12.4	10.6	9.1

⁻ Represents zero.

Colony Health Stressors with Five or More Colonies—Idaho, Oregon, Washington, and United States: April-June 2024

[Percent of colonies affected by stressors anytime during the quarter. A colony may be affected by multiple stressors during the quarter]

State	Varroa mites	Other pests and parasites ¹	Diseases ²	Pesticides	Other ³	Unknown
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
Idaho Oregon Washington	5.3	6.6 0.9 11.7	3.0 3.5 2.3	1.2 2.2 9.8	12.2 (Z) 19.1	(Z) 11.6
United States	54.8	27.5	3.3	15.4	18.0	4.3

⁽Z) Less than half of the unit shown.

⁽Z) Less than half of the unit shown.

¹ Tracheal mites, nosema, hive beetle, wax moths, etc.

² Includes American and European foulbrood, chalkbrood, stonebrood, paralysis (acute and chronic), kashmir, deformed wing, sacbrood, IAPV, Lake Sinai II, etc.

³ Includes weather, starvation, insufficient forage, queen failure, hive damage/destroyed, etc.

¹ Tracheal mites, nosema, hive beetle, wax moths, etc.

² Includes American and European foulbrood, chalkbrood, stonebrood, paralysis (acute and chronic), kashmir, deformed wing, sacbrood, IAPV, LakeSinai II, etc.

³ Includes weather, starvation, insufficient forage, queen failure, hive damage/destroyed, etc.







Access to NASS Reports

For your convenience, you may access NASS reports and products the following ways:

- All reports are available electronically, at no cost, on the NASS web site http://www.nass.usda.gov
- ➤ Both national and state specific reports are available via a free e-mail subscription. To set-up this free subscription, visit http://www.nass.usda.gov. Hover over the "Publications" drop down. Under "Receive reports by Email" section in the lower right corner, select the report(s) you would like to receive.

For more information on NASS surveys and reports, call the NASS Agricultural Statistics Hotline at (800) 727-9540, 7:30 a.m. to 4:00 p.m. ET, or e-mail: nass@usda.gov