

United States Department of Agriculture National Agricultural Statistics Service

Wyoming Barley Varieties 2010



Wyoming Field Office
Cooperating with the American Malting Barley Association, Inc.
PO Box 1148 • Cheyenne, WY 82003
307-432-5600 • FAX 307-432-5598 • www.nass.usda.gov/wy

July 9, 2010

MORAVIAN 69 REIGNING LEADER FOR FIFTH YEAR IN A ROW


Moravian 69 remained in the leading position as the most popular barley variety planted in Wyoming since 2006. Moravian 69 was seeded on an estimated 18,400 acres. This variety accounted for 38 percent of malting variety seeding and 26 percent of Wyoming's total barley acreage. Haybet was the leading feed barley variety in Wyoming for the fifth year in a row. Haybet was seeded on an estimated 12,900 acres. This variety accounted for 61 percent of the feed variety and 18 percent of Wyoming's total barley acreage. Conrad was the second most popular malting variety for the fifth year in a row with 12,000 acres seeded, accounting for 25 percent of the malting barley and 17 percent of the State's total barley acres. Merit was the third most popular malting variety for the fifth year in a row with 7,300 acres seeded, accounting for 15 percent of the malting barley and 10 percent of the State's total barley acres. Baronesse was the second leading feed barley variety in Wyoming during 2010. Baronesse was seeded on an estimated 3,400 acres. This variety accounted for 16 percent of the feed variety and 5 percent of Wyoming's total barley acreage.

Wyoming barley producers planted an estimated 70,000 acres to all barley varieties in 2010, down 10,000 acres from 2009. The Northwest District had 62 percent of the barley acreage in 2010, compared with 66 percent last year.


Malting varieties accounted for 48,800 acres or 70 percent of the total.


Acreage planted to feed barley totaled 21,200 acres, 30 percent of Wyoming's total barley acreage.

The Barley Variety Survey was conducted throughout the month of June by the Wyoming Field Office of USDA NASS via phone and mail. The American Malting Barley Association, Inc. provided the funding for this survey. We thank the Wyoming producers who voluntarily provided information that led to these estimates.



USDA is an equal opportunity provider and employer.





BARLEY: PERCENT OF TOTAL ACREAGE SEEDED BY VARIETY, WYOMING, 2004-2010

| Variety | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 |
|------------------|-------|-------|-------|-------|-------|-------|-------|
| Moravian 69 1/ | | 20.4 | 25.7 | 27.6 | 25.7 | 33.6 | 26.3 |
| Haybet | 7.0 | 11.2 | 12.6 | 21.3 | 11.0 | 8.8 | 18.4 |
| Conrad 1/ | | 0.8 | 21.4 | 14.7 | 24.2 | 22.5 | 17.1 |
| Merit 1/ | 4.7 | 6.6 | 16.3 | 13.2 | 18.1 | 13.0 | 10.4 |
| Baronesse | 4.4 | 6.7 | 6.1 | 5.8 | 3.2 | 4.1 | 4.9 |
| AC Metcalfe 1/ | | | 1.1 | 2.7 | 7.3 | 5.1 | 4.0 |
| Harrington 1/ | 3.9 | 0.9 | 2.4 | 2.6 | 3.0 | 3.8 | 4.0 |
| Hazen | | 1.1 | 1.0 | 1.0 | 1.1 | 2.9 | 4.0 |
| Moravian 37 1/3/ | | | | | | | 2.4 |
| Merit 57 1/ 3/ | | | | | | | 2.1 |
| Xena | 3.6 | 2.1 | 2.0 | 0.8 | 0.6 | 0.4 | 1.1 |
| Gallatin | 1.8 | 0.7 | 2.2 | 2.0 | 0.1 | 0.9 | 0.7 |
| M16 1/ | | | | | | 0.5 | 0.7 |
| Steptoe | 2.0 | 2.4 | 1.7 | 0.5 | 0.6 | 0.6 | 0.7 |
| Clark 1/ | 2.0 | 2.3 | 2.7 | 0.2 | 0.4 | 0.5 | 0.6 |
| Other 2/ | 70.6 | 44.8 | 4.8 | 7.6 | 4.7 | 3.3 | 2.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

^{3/} New malting variety for 2010.







^{1/} Variety recommended for malting purposes in Wyoming for 2010 by the American Malting Barley Association.
2/ Other feed and malting varieties reported with less than one percent of the total for 2010 include AB2657, Burton, CDC Copeland, Conlon, Galena, Haxby, M57, Otis, Robust and Smyrna. Unknown varieties are excluded.

WYOMING BARLEY VARIETIES: SEEDED ACREAGE BY DISTRICTS, 2010

| Variety | District 10 Northwest | District 20 Northeast | District 30 West | District 40 South Central | District 50 Southeast | STATE |
|----------------|--------------------------|--------------------------|---------------------|------------------------------|--------------------------|--------|
| | Acres | | | | | |
| Moravian 69 1/ | 16,000 | | | 200 | 2,200 | 18,400 |
| Haybet | 2,500 | 6,900 | 2,200 | 700 | 600 | 12,900 |
| Conrad 1/ | 12,000 | | | | | 12,000 |
| Merit 1/ | 7,300 | | | | | 7,300 |
| Baronesse | 400 | 200 | 2,700 | | 100 | 3,400 |
| Hazen | 100 | 200 | 300 | | 2,200 | 2,800 |
| AC Metcalfe 1/ | 1,400 | | 1,300 | 100 | | 2,800 |
| Harrington 1/ | | | 2,800 | | | 2,800 |
| Moravian 37 1/ | 1,700 | | | | | 1,700 |
| Merit 57 1/ | 1,500 | | | | | 1,500 |
| Xena | | | 800 | | | 800 |
| Steptoe | | 200 | 200 | 100 | | 500 |
| Gallatin | | | 500 | | | 500 |
| M 16 1/ | 500 | | | | | 500 |
| Clark 1/ | | | 400 | | | 400 |
| Other 2/ | 200 | 600 | 300 | 200 | 400 | 1,700 |
| Total 3/ | 43,600 | 8,100 | 11,500 | 1,300 | 5,500 | 70,000 |

^{1/} Variety recommended for malting purposes in Wyoming for 2010 by the American Malting Barley Association.

WYOMING BARLEY VARIETIES: SEEDED ACREAGE BY DISTRICTS, 2009

| Variety | District 10 Northwest | District 20 Northeast | District 30 West | District 40 South Central | District 50 Southeast | STATE | |
|----------------|--------------------------|--------------------------|---------------------|------------------------------|--------------------------|--------|--|
| | Acres | | | | | | |
| Moravian 69 1/ | 23,400 | | 1,500 | 400 | 1,600 | 26,900 | |
| Conrad 1/ | 17,900 | 100 | | | | 18,000 | |
| Merit 1/ | 6,900 | | 3,500 | | | 10,400 | |
| Haybet | 1,300 | 4,100 | 700 | 400 | 500 | 7,000 | |
| AC Metcalfe 1/ | 1,500 | 100 | 1,800 | 700 | | 4,100 | |
| Baronesse | | 400 | 2,900 | | | 3,300 | |
| Harrington 1/ | 500 | | 2,500 | | | 3,000 | |
| Hazen | | | | | 2,300 | 2,300 | |
| M 57 1/ | 700 | | | | | 700 | |
| Gallatin | | | 700 | | | 700 | |
| Walker | | | | | 600 | 600 | |
| Steptoe | | 500 | | | | 500 | |
| Robust 1/ | | 300 | | | | 300 | |
| Other 2/ | 800 | | 1,400 | | | 2,200 | |
| Total | 53,000 | 5,500 | 15,000 | 1,500 | 5,000 | 80,000 | |

^{1/} Variety recommended for malting purposes in Wyoming for 2009 by the American Malting Barley Association.

^{2/} Other feed and malting varieties reported include AB2657, Burton, CDC Copeland, Conlon, Galena, Haxby, M57, Otis, Robust and Smyrna. Unknown varieties are excluded.

^{3/} Acreage planted by Agricultural Statistics District is preliminary.

^{2/} Feed and malting varieties reported include AB2657, Clark, Legacy, M16, Smyrna and Xena.

Unknown varieties are excluded.

USDA/NASS Wyoming Field Office PO Box 1148 Cheyenne WY 82003-1148 Presort Standard Postage and Fees Paid USDA Permit N. G-38

OFFICIAL BUSINESS Penalty for private use \$300

ADDRESS SERVICE REQUESTED

WYOMING BARLEY VARIETIES: PERCENT OF TOTAL BY DISTRICTS, 2010

