


Released: February 13, 2009

Overlay Recaptures Number One

Overlay became the leading variety of wheat seeded in Kansas for the 2009 crop. Jagalene held this position last year. Accounting for 13.7 percent of the State's wheat, Overlay was the most popular variety in three of the nine districts. New to the top ten is Fuller, ranking second with 10.9 percent of the acreage. Santa Fe moved up to third place with 9.5 percent of the States acreage. Jagalene moved down to fourth place with 9.1 percent of the acreage. Jagger came in fifth at 8.5 percent down 6.2 points from last year. TAM 111 moved down to sixth place at 6.8 percent. New to the top ten is Postrock, ranking seventh with 6.0 percent of the acreage. KSU maintained variety 2137 down to eighth place at 2.9 percent, while T81 moved down to ninth place at 2.5 percent.

TAM 112, rounded out the top ten at 2.0 percent. Acres planted with blended varieties were not included in the rankings by variety. Blends accounted for 10.7 percent of the State's planted acres and were used more extensively in the north central, northwest, and central areas of the State. Out of the total acres planted with blends, 37.5 percent included Santa Fe in the blend while 33.1 percent had Jagalene in the blend. Hard White varieties accounted for 1.0 percent of the State's acreage. Danby was the leading Hard White variety, accounting for 70 percent of the State's white wheat. The majority of the white wheat was planted in the western third of the State. This Wheat Variety project is funded by the Kansas Wheat Commission.

Leading Wheat Varieties in Kansas, 2009 Crop Percent of Seeded Acreage, By Districts



State
Top Ten Varieties

| | | | |
|-------------|------|-------------|-----|
| 1. Overlay | 13.7 | 6. TAM 111 | 6.8 |
| 2. Fuller | 10.9 | 7. Postrock | 6.0 |
| 3. Santa Fe | 9.5 | 8. 2137 | 2.9 |
| 4. Jagalene | 9.1 | 9. T81 | 2.5 |
| 5. Jagger | 8.5 | 10. TAM 112 | 2.0 |

Distribution of Kansas Winter Wheat Varieties, 2009 Crop

| Variety | Agricultural Statistics Districts | | | | | | | | | |
|----------------------------|-----------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | NW | WC | SW | NC | C | SC | NE | EC | SE | State |
| Percent of Seeded Acreage | | | | | | | | | | |
| Overley | 1.5 | 0.3 | 0.1 | 6.5 | 18.7 | 26.2 | 6.9 | 4.7 | 22.7 | 13.7 |
| Fuller | 10.4 | 1.6 | 0.7 | 7.5 | 16.0 | 16.0 | 7.3 | 9.3 | 12.0 | 10.9 |
| Santa Fe | * | * | * | 10.1 | 14.8 | 14.3 | 45.5 | 13.3 | 16.6 | 9.5 |
| Jagalene | 13.5 | 21.7 | 20.6 | 6.6 | 6.6 | 2.7 | 1.5 | 2.3 | 7.5 | 9.1 |
| Jagger | 12.3 | 4.6 | 9.8 | 4.2 | 8.2 | 10.0 | 3.2 | 8.8 | 12.7 | 8.5 |
| TAM 111 | 13.4 | 17.8 | 24.5 | 1.5 | 2.3 | 0.4 | * | 0.4 | * | 6.8 |
| Postrock | 4.9 | 1.9 | 2.0 | 14.5 | 6.3 | 5.3 | 6.0 | 32.7 | 0.7 | 6.0 |
| 2137 | 1.7 | 4.4 | 2.2 | 3.0 | 4.0 | 2.2 | 6.3 | 7.1 | 8.0 | 2.9 |
| T81 | 6.2 | 8.9 | 5.6 | 1.4 | * | 0.5 | * | * | * | 2.5 |
| TAM 112 | 2.6 | 8.4 | 5.3 | 0.3 | 1.4 | * | 0.1 | * | * | 2.0 |
| Hatcher | 4.0 | 5.1 | 3.0 | 0.3 | 0.0 | * | * | * | * | 1.3 |
| Shocker | * | * | * | 0.2 | 2.0 | 1.7 | * | 1.6 | 0.1 | 1.0 |
| Karl/Karl 92 | 0.2 | 0.9 | 0.1 | 4.3 | 0.3 | * | 5.0 | 0.9 | * | 0.8 |
| Ike | 2.3 | 0.3 | 4.4 | 0.1 | 0.2 | * | 0.3 | * | * | 0.8 |
| Art | * | * | * | 0.2 | 1.2 | 1.5 | 0.8 | 0.7 | 0.6 | 0.8 |
| 2174 | * | * | * | * | 0.4 | 1.6 | * | 0.1 | 3.6 | 0.7 |
| Danby ¹ | 1.7 | 1.6 | 2.7 | 0.1 | * | 0.1 | * | 0.5 | * | 0.7 |
| T136 | * | 3.6 | 1.5 | 0.0 | * | 0.5 | * | * | * | 0.7 |
| TAM107 | 1.2 | 1.5 | 0.6 | 0.1 | * | 0.7 | * | * | * | 0.6 |
| Bullet | * | * | * | * | * | 1.4 | * | * | * | 0.5 |
| Endurance | * | * | 0.3 | * | 0.1 | 0.9 | * | 1.3 | 3.7 | 0.4 |
| Larned | 1.1 | 0.7 | 1.1 | * | 0.3 | * | * | * | * | 0.4 |
| Above | 0.4 | 3.6 | 0.2 | * | * | * | * | * | * | 0.4 |
| Stanton | 2.5 | 1.0 | 0.6 | 0.1 | * | * | * | * | * | 0.4 |
| Smokey Hill | 0.5 | 0.1 | * | 0.8 | 0.5 | * | 0.2 | * | * | 0.3 |
| Thunderbolt | 0.7 | 1.0 | 0.1 | 0.2 | 0.0 | 0.2 | * | * | * | 0.3 |
| Cutter | * | * | * | 0.1 | 1.0 | 0.4 | 0.3 | * | * | 0.3 |
| Dominator | * | * | * | 0.6 | 1.0 | * | 0.1 | 2.2 | * | 0.3 |
| Coronado | * | * | * | 0.5 | 0.1 | 0.4 | * | * | * | 0.2 |
| Hawk | 0.2 | * | * | 1.3 | * | * | 0.0 | * | 0.2 | 0.2 |
| Keota | 1.2 | * | * | * | 0.1 | * | * | * | 0.8 | 0.2 |
| 2145 | * | * | * | 1.2 | 0.2 | * | 2.1 | 0.4 | * | 0.2 |
| Protection | * | * | 0.2 | 0.0 | 0.7 | 0.2 | * | 0.2 | * | 0.2 |
| Scout/Scout66 | * | * | 1.5 | * | * | * | * | * | * | 0.2 |
| Blends | 11.7 | 2.8 | 6.4 | 29.1 | 11.5 | 7.1 | 3.3 | 4.4 | 0.2 | 10.7 |
| Other Hard White varieties | 0.1 | 0.7 | 1.6 | 0.0 | * | 0.0 | * | 0.6 | * | 0.3 |
| Other Hard Red Varieties | 5.7 | 7.5 | 4.9 | 5.2 | 2.1 | 5.7 | 11.1 | 8.4 | 6.4 | 5.1 |
| All Soft Red Varieties | * | * | * | * | * | * | * | 0.1 | 4.2 | 0.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

NOTE: * = Variety not reported in this district and 0=Less than .1 percent.

¹ Hard White Winter variety.

Distribution of Kansas Winter Wheat Varieties, 2000-2009

| Variety | By Crop Year | | | | | | | | | |
|-------------------------------------|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 |
| Percent of Seeded Acreage | | | | | | | | | | |
| Overley | -- | -- | -- | -- | 0.1 | 2.2 | 15.3 | 23.3 | 17.3 | 13.7 |
| Fuller | -- | -- | -- | -- | -- | -- | -- | -- | 0.3 | 10.9 |
| Santa Fe | -- | -- | -- | -- | -- | -- | 0.2 | 1.3 | 5.8 | 9.5 |
| Jagalene | -- | -- | -- | -- | 3.0 | 21.2 | 27.2 | 23.1 | 18.0 | 9.1 |
| Jagger | 34.0 | 35.8 | 42.8 | 45.2 | 40.9 | 28.2 | 19.7 | 17.1 | 14.7 | 8.5 |
| TAM 111 | -- | -- | -- | -- | -- | 0.2 | 2.2 | 4.0 | 7.3 | 6.8 |
| Postrock | -- | -- | -- | -- | -- | -- | -- | -- | 0.9 | 6.0 |
| 2137 | 23.1 | 22.3 | 15.5 | 13.3 | 8.6 | 5.7 | 3.1 | 2.9 | 2.8 | 2.9 |
| T81 | 0.2 | 0.2 | 0.8 | 0.6 | 1.8 | 1.6 | 2.6 | 2.0 | 2.8 | 2.5 |
| TAM 112 | -- | -- | -- | -- | -- | -- | -- | 0.4 | 1.6 | 2.0 |
| Hatcher | -- | -- | -- | -- | -- | -- | -- | -- | 0.3 | 1.3 |
| Shocker | -- | -- | -- | -- | -- | -- | -- | -- | 0.2 | 1.0 |
| Karl/Karl 92 | 3.5 | 3.3 | 3.6 | 3.2 | 2.3 | 1.5 | 1.1 | 1.0 | 0.8 | 0.8 |
| Ike | 4.1 | 3.6 | 2.6 | 2.1 | 2.0 | 1.4 | 1.1 | 1.2 | 0.5 | 0.8 |
| Art | -- | -- | -- | -- | -- | -- | -- | -- | 0.1 | 0.8 |
| 2174 | 1.1 | 3.0 | 3.1 | 3.1 | 2.8 | 3.0 | 1.2 | 1.1 | 0.9 | 0.7 |
| Danby ¹ | -- | -- | -- | -- | -- | -- | -- | 0.7 | 1.2 | 0.7 |
| T136 | -- | -- | -- | -- | -- | -- | -- | -- | 0.3 | 0.7 |
| TAM107 | 6.3 | 5.3 | 2.9 | 2.3 | 1.3 | 1.0 | 0.4 | 0.1 | 0.2 | 0.6 |
| Bullet | -- | -- | -- | -- | -- | -- | -- | -- | 0.0 | 0.5 |
| Endurance | -- | -- | -- | -- | -- | -- | -- | -- | 0.1 | 0.4 |
| Larned | 1.2 | 1.0 | 0.9 | 0.8 | 0.4 | 0.3 | 0.2 | 0.3 | 0.2 | 0.4 |
| Above | -- | -- | -- | -- | 0.2 | 0.1 | 0.1 | 0.0 | 0.2 | 0.4 |
| Stanton | -- | -- | 0.1 | 0.6 | 1.4 | 1.4 | 0.8 | 0.2 | 0.3 | 0.4 |
| Smokey Hill | -- | -- | -- | -- | -- | -- | -- | -- | 0.1 | 0.3 |
| Thunderbolt | -- | 0.2 | 0.6 | 0.8 | 1.4 | 1.7 | 1.1 | 0.4 | 0.9 | 0.3 |
| Cutter | -- | -- | -- | -- | 0.7 | 1.7 | 1.6 | 2.1 | 0.9 | 0.3 |
| Dominator | 1.4 | 1.5 | 2.0 | 2.2 | 1.5 | 1.1 | 0.8 | 0.4 | 0.2 | 0.3 |
| Coronado | 1.0 | 1.1 | 0.7 | 0.8 | 0.5 | 0.4 | 0.4 | 0.2 | 0.1 | 0.2 |
| Hawk | -- | -- | -- | -- | -- | -- | -- | 0.0 | 0.0 | 0.2 |
| Keota | -- | -- | -- | -- | -- | -- | -- | 0.0 | 0.2 | 0.2 |
| 2145 | -- | -- | -- | -- | 1.5 | 2.2 | 0.8 | 0.5 | 0.6 | 0.2 |
| Protection | -- | -- | -- | -- | -- | -- | 0.2 | 0.3 | 0.4 | 0.2 |
| Scout/Scout66 | 0.3 | 0.1 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 |
| Blends | 7.5 | 7.0 | 11.5 | 12.8 | 15.2 | 11.3 | 10.0 | 10.4 | 10.4 | 10.7 |
| Other Hard White varieties | 0.2 | 0.8 | 1.1 | 2.7 | 4.9 | 3.9 | 1.7 | 1.0 | 0.7 | 0.3 |
| Other Hard Red Varieties | 16.1 | 14.8 | 11.5 | 9.2 | 9.3 | 9.8 | 7.9 | 5.8 | 8.5 | 5.1 |
| All Soft Red Varieties ² | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

NOTE: -- = Data not available for variety or acreage is included in Other Hard Varieties.

¹ Hard White Winter variety. ² 0 = less than .1 percent.

KANSAS WHEAT ACRES

Planted and Harvested
Million Acres

